

Additional Units Kitchen Brochure 2017/18

If you contact Symphony's Additional Unit team then please provide the following information.

PLOT NUMBER:

SITE CODE:

(5 digit code available from your Builder, e.g. SY600)

HOUSEBUILDER NAME:

SITE NAME:

SITE ADDRESS:

YOUR POSTCODE:

Symphony®



Designed with you in mind

The Symphony kitchen in your new home has been built to the highest standards by one of the country's largest and most respected manufacturers of quality fitted furniture.

Designed with flair and installed with the greatest attention to detail, we are confident you will be happy with its stylish appearance and durability for many years to come.

However, we're also sure that you'll want your new kitchen to reflect your particular tastes and lifestyle, whilst meeting all your individual requirements.

That's why we offer a wide choice of additional furniture, accessories and decorative features -

from wall or base units for extra space, through to glazed dressers to display your favourite possessions. In addition, there are alternative handles, internal storage, pull out wirework and decorative lighting to name a few options. Simply tell us your ideas and we'll help you create the kitchen you want. After all - you're unique, so your kitchen should be too.

Whilst you will discover a world of options in this brochure, these products form only a section of our full offer. To view our full portfolio please visit www.symphony-group.co.uk or speak to our additional units team on 01226 446610. We wish you every success in your new home.



Call 01226 446610 or
email additionalunits@symphony-group.co.uk

All dimensions in the specification document are in millimetres.

CONTENTS

IDENTIFY YOUR KITCHEN	6 - 21	PLINTHS	46, 52
CORNER UNITS	22 - 23	CORNICE AND PELMET	49 - 50
BASE UNITS	24 - 28	PILASTERS	48
WALL UNITS	29 - 33	CANOPIES	48
BOILER AND BASE APPLIANCE HOUSINGS	34	SPICE DRAWERS	51
LARDER AND PANTRY UNITS	35 - 37	GLASS SHELVING	53
OVEN HOUSINGS	38 - 41	UPSTANDS AND SPLASHBACKS	53
FRIDGE/FREEZER HOUSINGS	42 - 42	WORKTOPS AND ACCESSORIES	54
INTEGRATED APPLIANCE DOORS	43	ACCESSORIES	55 - 65
MID HEIGHT UNITS	44	CABINETS	66
WORKTOP DRESSER UNITS	45	FRONTALS	68
PANELS	46 - 49, 52	GENERAL INFORMATION	69 - 77

HOW TO SPECIFY AND ORDER YOUR ADDITIONAL UNITS

Please browse through this brochure to identify the items that you would like to order. The checklist provided on the back page walks you through the ordering process to ensure you can give us all the information we require to provide you with your desired additional items to complete your kitchen.

Please note that the product range included in this brochure does not reflect our entire product offer.

To view the full offer please visit www.symphony-group.co.uk, or call our team on 01226 446610.



Our Additional Units team is on hand to ensure you can order your additions easily. Simply follow the steps below.



IDENTIFYING YOUR KITCHEN UNITS

When planning your additional units please ensure you have the correct measurements. The following pages will assist you in identifying the information you require when ordering your additional kitchen units. Please use the fold out page at the back of the brochure as a checklist.



REQUEST A QUOTE

When you are ready to request a quote or to discuss your order with us please contact us on **01226 446610** or email **additionalunits@symphony-group.co.uk**.

IMPORTANT INFORMATION

Please ensure that you inform us of the following information about your property:

PLOT NUMBER:

SITE CODE:

(5 digit code available from your Builder, e.g. SY600)

HOUSEBUILDER NAME:

SITE NAME:

SITE ADDRESS:

YOUR POSTCODE:



PLACE AN ORDER

All orders are processed by phone so when you are ready to place an order please contact us on **01226 446610**. We accept payment for your additional units order by either card or cheque.



DELIVERY

Our standard delivery time is 3 weeks. Please note that you will need to arrange the fitting of your additional units as we offer these on a supply only basis and do not offer a fitting service.

Your additional units will be delivered to an address of your choice. You will need to arrange for an authorised person to be present at the time of delivery to sign for the order and provide access to your property. Our team will offload and take your additional units into the property. The majority of units are supplied in an assembled format, although certain units have to be supplied ready for assembly due to their size and/or construction. Please also note that to ensure the safe transit of assembled units some items may be supplied loose such as legs and handles.

STEP 1 IDENTIFY YOUR CABINET

18mm Excel and 15mm Vista are the most popular cabinet specification in new homes. Please note this does not represent our entire product offer, to view the full portfolio please visit www.symphony-group.co.uk or call our team on 01226 446610.

15MM VISTA CABINETS

Internal cabinet finished in white with a choice of external cabinet colours



18MM EXCEL CABINETS

Fully co-ordinated interior and exterior cabinet colours.



STEP
2

➔

IDENTIFY YOUR DRAWER

SUPRA DRAWER BOX

Colour: Cream
Cabinets: 15mm Vista and 18mm Excel
Soft close: optional upgrade



REVO DRAWER BOX

Colour: Grey
Cabinets: 18mm Excel only
Soft Close: As standard



STEP
3

➔

IDENTIFY YOUR HINGE

110° STANDARD



110° SOFTPLUS



170° STANDARD



170° SOFTPLUS



STEP
4

➔

IDENTIFY YOUR CABINET COLOUR

All our ranges are available with a choice of cabinet colours. Selected ranges offer frontal-matched replacement cabinet ends on 18mm cabinets (see Step 9). These allow you to create a fully co-ordinated kitchen that blends seamlessly into its surroundings.



IVORY



BLONDE OAK



WALNUT



WHITE

STEP 5 IDENTIFY YOUR KITCHEN RANGE

Identify or choose your range from our most popular kitchen choices shown below. Please note this does not represent our entire product offer, to view the full portfolio please visit www.symphony-group.co.uk, or call our team on 01226 446610.

CONTEMPORARY DOORS



New York White
22mm gloss painted and
lacquered MDF door



New York Ivory
22mm gloss painted and
lacquered MDF door



New York Cashmere
22mm gloss painted and
lacquered MDF door



Alta Mussel
18mm gloss painted and
lacquered MDF door



Alta Pure White
18mm gloss painted and
lacquered MDF door



Orlando White
19mm Gloss painted
door with glass
edge effect



Orlando Grey
19mm Gloss acrylic door
with glass edge effect



Orlando Dakar
19mm Gloss acrylic door
with glass edge effect



Westport White
19mm White laser edged
matt painted MFC door



Westport Ivory
19mm Ivory laser edged
matt painted MFC door




Woodbury Anthracite
18mm Gloss painted MFC



Woodbury Basalt
18mm Gloss
painted MFC




Woodbury Cashmere
18mm Gloss
painted MFC



Woodbury Ivory
18mm Gloss painted MFC



Woodbury White
18mm Gloss
painted MFC



Plaza Cashmere
18mm Cashmere MFC
grained panel door with
flat matching PVC edging



Plaza Mussel
18mm Mussel MFC
grained panel door with
flat matching PVC edging



Plaza Porcelain
18mm Porcelain MFC
grained panel door with
flat matching PVC edging



Kansas
18mm Light Ash
Cross-grain Textured
MFC door with
matching PVC edging



Colorado
18mm Dark Oak
Textured MFC door with
matching PVC edging



Plaza Stone
18mm Stone MFC
grained panel door with
flat matching PVC edging



Minnesota
18mm Avola Grey
Textured MFC door with
matching PVC edging



Hacienda White Ash
18mm flat panel MFC
door with matching
PVC edging



Hacienda Ivory
18mm flat panel MFC
door with matching
PVC edging



Hacienda Champagne
18mm flat panel MFC
door with matching
PVC edging



Medford
18mm Flat panel MFC
door with white PVC
edging



Virginia Oak
18mm Oak effect MFC
flat panel door with
matching PVC edging



Virginia Walnut
18mm Walnut effect
MFC flat panel door with
matching PVC edging

IDENTIFY YOUR KITCHEN RANGE

CLASSIC DOORS



Austin
20mm Shaker style painted ivory door with ash veneered frame and centre panel



Oakham
20mm Shaker style door with oak veneered frame and centre panel



Salerno Ivory
20mm MDF shaker style door with high gloss ivory PVC wrapped finish



Salerno White
20mm MDF shaker style door with high gloss white PVC wrapped finish



Cranbrook Ivory
22mm Ivory foil wrapped MDF door in shaker style



Cranbrook Platinum
22mm Platinum foil wrapped MDF door in shaker style



Cranbrook Sage
22mm Sage foil wrapped MDF door in shaker style



Cranbrook Stone
22mm Stone foil wrapped MDF door in shaker style



Newport
18mm Ivory PVC wrapped door with tongue and grooved centre panel



Calgary White
18mm White PVC wrapped door with tongue and grooved centre panel



Georgia Oak
22mm Oak foil wrapped MDF door in shaker style



Georgia Walnut
22mm Walnut foil wrapped MDF door in shaker style



Oregon White
18mm White PVC foil wrapped saponetta edged door



Oregon Cream
18mm Cream PVC foil wrapped saponetta edged door

GLAZED DOORS



Oregon Dove Grey
18mm Grey PVC foil wrapped saponetta edged door



Alta – frosted glass



Austin – clear



Calgary – clear



Cranbrook – clear



Georgia – textured



Metallic effect framed door – textured



Newport – plank effect frosted



Oakham – clear glass



Salerno – clear

IDENTIFY YOUR KITCHEN RANGE

Inline kitchens present a modern linear style of kitchen design that features a stunning handle trim to the edge of doors and drawers. There is a choice of a brushed aluminium trim or a chrome wave trim.




Inline Chrome Wave Trim




Inline Aluminium Trim

INLINE SELECT




Gloss Mussel
18mm gloss painted and
lacquered MDF door



Gloss Pure White
18mm gloss painted and
lacquered MDF door

INLINE TREND




Gloss Diamond White
19mm Gloss painted door
with glass edge effect



Gloss Diamond Dakar
19mm Gloss acrylic door
with glass edge effect




Gloss Diamond Grey
19mm Gloss acrylic door
with glass edge effect



Matt Painted White
19mm White laser edged
matt painted MFC door



Matt Painted Ivory
19mm Ivory laser edged
matt painted MFC door



Gloss Ice Anthracite
18mm Gloss painted
MFC door




Gloss Ice Cashmere
18mm Gloss painted
MFC door



Gloss Ice Basalt
18mm Gloss painted
MFC door




Gloss Ice Ivory
18mm Gloss painted
MFC door




Gloss Ice White
18mm Gloss painted
MFC door


INLINE FORM



Matt Cashmere Textured
18mm MFC grained panel
door with flat matching
PVC edging



Matt Mussel Textured
18mm MFC grained panel
door with flat matching
PVC edging



Matt Porcelain Textured
18mm MFC grained panel
door with flat matching
PVC edging



Matt Stone Textured
18mm MFC grained panel
door with flat matching
PVC edging



Matt Dark Oak Textured
18mm textured MFC door
with matching PVC edging




Matt Avola Grey Textured
18mm textured MFC door
with matching PVC edging



Matt Light Ash Textured
18mm cross-grain
textured MFC door with
matching PVC edging



Matt Avola Champagne
18mm Flat panel MFC door
with matching PVC edging



Matt Avola Ivory
18mm flat panel MFC door
with matching PVC edging



Matt Avola White Ash
18mm flat panel MFC door
with matching PVC edging



Matt Oak
18mm MFC flat panel door
with matching PVC edging



Identify or choose your handle from our most popular handle choices shown below.


Please note this does not represent our entire product offer, to view the full portfolio please visit www.symphony-group.co.uk or call our team on 01226 446610.

Matt Nickel D Handle with Oval Feet
Handle Centres: 128mm



Code
HPK226

Matt Chrome Bridge Handle
Handle Centres: 128mm



Code
HPK251

188mm Matt Nickel Bar Handle
Handle Centres: 128mm



Code
HPK275

Matt Nickel Grooved Bar Handle
Handle Centres: 128mm



Code
HPK279

Matt Nickel Square D Handle
Handle Centres: 128mm



Code
HPK296

Matt Nickel Soft Formed
Handle Centres: 160mm



Code
HPK331

Matt Nickel Long Square D
Handle Centres: 192mm



Code
HPK334

Pewter Square D handle
Handle Centres: 128mm



Code
HPK337

Matt Nickel Chunky D handle
Handle Centres: 160mm



Code
HPK354

188mm Stainless steel chunky bar
Handle Centres: 128mm



Code
HPK355

Blonde Oak Knob
Handle Centres: Knob



Code
HPK391

Iron D handle
Handle Centres: 128mm



Code
HPK404

358mm Matt Nickel Bar Handle
Handle Centres: 160mm



Code
HPK433

Polished chrome D handle
Handle Centres: 160mm



Code
HPK445

Brushed nickel barrel D
Handle Centres: 160mm



Code
HPK630

IDENTIFY YOUR HANDLE

Matt Brushed Nickel Arched
Handle Centres: 160, 192mm



Code _____
HPK631

Square Chrome Bar Handle
Handle Centres: 192mm



Code _____
HPK634

Chrome Chunky Bridge
Handle Centres: 160mm



Code _____
HPK640

Chrome Bow Handle
Handle Centres: 128mm



Code _____
HPK641

Chrome Square D Handle
Handle Centres: 128mm



Code _____
HPK642

Brushed Nickel Bow Handle.
Handle Centres: 160mm



Code _____
HPK643

Matt Nickel Square D Handle
Handle Centres: 160mm



Code _____
HPK644

Brushed Nickel Arched Handle
Handle Centres: 160mm



Code _____
HPK645

Matt Nickel Bow Handle
Handle Centres: 128mm



Code _____
HPK647

Matt Nickel Wide Bow Handle
Handle Centres: 160mm



Code _____
HPK671

Grooved Pewter D Handle
Handle Centres: 128mm



Code _____
HPK672



INSET HANDLE WALL UNITS

The inset handle which is available in selected ranges can be added to all wall units, bifolds and bridging cupboards and is to be combined with standard handles on base units to create a subtle, more streamlined design option for the modern kitchen.


To choose this handle option add IN to the end of the wall cabinet code e.g. WU672IN.

Inset Handle Range Availability	
Alta	Colorado
Hacienda	Inline Form
Inline Select	Inline Trend
Kansas	Medford
Minnesota	Orlando
Plaza	Virginia
Westport	Woodbury

UNIT DIMENSIONS


All dimensions are expressed as follows:

- WIDTH - side to side
- DEPTH - front to back
- HEIGHT - top to bottom




2100mm Cabinet Elevations - Contemporary style example

NB: Base cabinet height to underside of worktop is 870mm. Actual base cabinet depth is 470mm or 570mm (500mm or 600mm with worktop). Actual wall cabinet depth is 285mm.



2276mm Cabinet Elevations - Classic style example

NB: Base cabinet height to underside of worktop is 870mm. Actual base cabinet depth is 570mm (600mm with worktop). Actual wall cabinet depth is 285mm.



All dimensions are shown in millimetres

UNIT CODES

PREFIX LETTERS

These indicate the type of unit, such as BU for base unit; WU for wall unit; BR for broom unit; LU for larder unit; OH for oven housing unit.

NUMBERS

The numbers indicate the width of the unit followed either by the depth, or in case of wall units, the height. For example a WU1056 is a wall unit 1000mm wide and 561mm high. A BU56 is a base unit 500mm wide and 600mm deep.

SUFFIX LETTERS

Any letters following the number code indicate a variant of the type as follows:

- A-K - variations of corner units or appliance housing formats
- F - Full height door base unit
- D - Drawer line base unit
- DD - Single base unit or corner base unit with a dummy drawer
- DAI - Double base unit with two dummy drawers
- DAC - Double base unit with one dummy drawer

- BO - Corner base unit with no corner post
- BS - Corner base unit with dummy drawer and no corner post
- GL - Unit with left hand replacement end
- GR - Unit with right hand replacement end
- G2 - Unit with two replacement ends
- IN - Inset Handle

(18MM CABINETS ONLY)



To enhance the finish of a selection of our kitchens, replacement cabinet end panels are available to order at an additional cost.

The replacement end panels are available on 18mm Excel cabinets only and are pre-fitted to the exposed ends of a unit run only. On base and tall units (for example larder units and tall appliance housings) the replacement cabinet end panel is a full length panel extending to the floor and therefore additional blender panels will not be required.

Please note: Worktop dressers, over cooker hoods, Belfast sink cabinets, bridging units for American fridge freezers, 1366mm and 1560mm high dresser boiler housings and reduced depth base cabinets are not available with replacement ends.

RANGE	DOOR COLOUR	INLINE RANGE	CABINET	REPLACEMENT END EXTERNAL COLOUR	REPLACEMENT END INTERNAL COLOUR	REPLACEMENT END GRAIN DIRECTION
Alta	Gloss Mussel	Select Gloss Mussel	Ivory	Gloss Mussel	Matt Mussel	N/A
Alta	Gloss Pure White	Select Gloss Pure White	White	Gloss Pure White	Matt Pure White	N/A
Boston	Gloss Ivory	N/A	Ivory	Gloss Ivory	Matt Ivory	N/A
Boston	Gloss White	N/A	White	Gloss White	Matt White	N/A
Colorado	Dark Oak	Form Matt Dark Oak Textured	White	Dark Oak	Dark Oak	Vertical
Cranbrook	Platinum	N/A	White	Platinum	Platinum	N/A
Cranbrook	Sage	N/A	Ivory	Sage	Sage	N/A
Cranbrook	Stone	N/A	Ivory	Stone	Stone	N/A
Hacienda	Champagne	Form Matt Avola Champagne	Ivory	Avola Champagne	Avola Champagne	Vertical
Hacienda	Ivory	Form Matt Avola Ivory	Ivory	Avola Ivory	Avola Ivory	Vertical
Hacienda	White Ash	Form Matt Avola White Ash	White	Avola White Ash	Avola White Ash	Vertical
Kansas	Light Ash	Form Matt Light Ash Textured	White	Light Ash	Light Ash	Horizontal
Minnesota	Avola Grey	Form Matt Avola Grey Textured	White	Avola Grey	Avola Grey	Vertical
New York	Gloss Cashmere	N/A	White	Gloss Cashmere	Matt Cashmere	N/A
New York	Gloss Ivory	N/A	White	Gloss Ivory	Matt Ivory	N/A
New York	Gloss White	N/A	White	Gloss White	Matt White	N/A
Orlando	Gloss Dakar	Trend Gloss Diamond Dakar	White	Gloss Dakar	Matt Dakar	N/A
Orlando	Gloss Grey	Trend Gloss Diamond Grey	White	Gloss Grey	Matt Grey	N/A
Orlando	Gloss White	Trend Gloss Diamond White	White	Gloss White	Matt White	N/A
Plaza	Cashmere	Form Matt Textured Cashmere	White	Textured Cashmere	Textured Cashmere	Vertical
Plaza	Mussel	Form Matt Textured Mussel	Ivory	Textured Mussel	Textured Mussel	Vertical
Plaza	Porcelain	Form Matt Textured Porcelain	White	Textured Porcelain	Textured Porcelain	Vertical
Plaza	Stone	Form Matt Textured Stone	Ivory	Textured Stone	Textured Stone	Vertical
Salerno	Gloss Ivory	N/A	Ivory	Gloss Ivory	Matt Ivory	N/A
Salerno	Gloss White	N/A	White	Gloss White	Matt White	N/A
Westport	Painted Ivory	Trend Matt Painted Ivory	Ivory	Painted Ivory	Painted Ivory	N/A
Westport	Painted White	Trend Matt Painted White	White	Painted White	Painted White	N/A
Woodbury	Gloss Anthracite	Trend Gloss Ice Anthracite	White	Gloss Anthracite	Matt Charcoal	N/A
Woodbury	Gloss Basalt	Trend Gloss Ice Basalt	White	Gloss Basalt	Matt Basalt	N/A
Woodbury	Gloss Cashmere	Trend Gloss Ice Cashmere	White	Gloss Cashmere	Matt Cashmere	N/A
Woodbury	Gloss Ivory	Trend Gloss Ice Ivory	Ivory	Gloss Ivory	Matt Ivory	N/A
Woodbury	Gloss White	Trend Gloss Ice White	White	Gloss White	Matt White	N/A

HOW TO ORDER

Simply add one of the following suffixes to the standard unit code:

- For a replacement cabinet end to the left hand side of a unit add **GL**. For example BU56F **GL** (See Fig.1)
- For a replacement cabinet end to the right hand side of a unit add **GR**. For example WU572 **GR** (see Fig.2)
- For replacement cabinet ends to both left and right hand sides of a unit add **G2**. For example LU56 **G2** (see Fig.3)




Fig.1




Fig.2



Fig.3

COLOUR OPTIONS



STEP
10

➔

SPECIFY YOUR UNIT HANDING IF REQUIRED

HANDINGS

Many units are described as left or right handed. Handings should be expressed as if looking at the unit from the front.

Handings required are:

- The side of the hinge on single units (e.g. left hand hinged)
- The side of the blanked end of corner units (e.g. left hand blanked)
- The position of the drainer on sink units (e.g. left hand drainer)
- The end position of a base wing end unit (e.g. left hand end)
- The side of a dummy drawer on a double base unit (e.g. left hand side)

STEP
11

➔

REMEMBER TO ORDER PLINTHS AND ACCESSORIES

Specify any plinths and accessories such as cornice, pelmet, lighting, splashbacks and internal storage as required.

- 1

LED Strip Lights
- 2

Plinth Lights
- 3

HD LED Spot Lights
- 4

HD LED Square Lights
- 5

Plinth
- 6

Cornice
- 7

Pelmet
- 8

Upstand
- 9

Splashback




REMEMBER TO ORDER ACCESSORIES

Many lights are available in a cool white or warm white light to provide flexibility to suit the design of the kitchen environment. Extra upgrade options like illuminated shelves or convenient pop up sockets within worktops are a perfect finishing touch to set a kitchen apart.

sensio
furniture lighting solutions



GX53 LED Round Light
Can plug directly into mains.
Available in a cool or warm white light.



GX53 LED Triangle Light
Can plug directly into mains.
Available in a cool or warm white light.




HD Delta Light
Available with optional on/off touch sensor.
Available in a cool or warm white light.



Orbit Tilting Light
Features tiltable centre section.
Available in a cool or warm white light.



HD LED Linkable Strip Lights
Linkable fittings to create a continuous run of lighting. Available in 400mm and 600mm lengths.



LED Flexible Strip Lights
Available in 300mm or 2m lengths. Available in a cool white, warm white and blue light.



EVOLine(R) pop-up socket with USB ports featuring a flush finished Stainless Steel top
POPUPSOCKUSS



Pop-up Socket with USB Ports
POPUPSOCKU

REMEMBER TO ORDER ACCESSORIES

A range of contemporary and subtle colours to suit any style of kitchen and complement our worktop selection.

STANDARD COLLECTION

This collection features the four core splashback colours.



Bride



Chalk White



Ebony




Pewter



GLOSS COLLECTION

Our Gloss Collection feature a diverse palette of colours that match and complement a variety of the kitchen finishes, accent open display units and include three metallic effect styles.




Anthracite



Blue



Bronze




Cashmere




Dark Stone



Gold




Lava



Light Stone



Midnight Stardust



Platinum



Sage



Silver



White Sparkle



Yellow



REMEMBER TO ORDER PLINTHS AND ACCESSORIES

Take advantage of every corner of the kitchen with innovative accessories and storage solutions that enhance every Konzept Kitchen.



Le Mans pull out (Left handed shown)



3/4 carousel baskets



Wine glass rack



Wine rack insert



Stainless steel splashback



Angled Breakfast bar leg



Arrow Shelf Bracket



Chunky Floating Shelf



Removable Magnetic Lock



Larder Unit with internal drawers



Pan Drawer with Internal top drawer



Base Unit with internal drawers

REMEMBER TO ORDER PLINTHS AND ACCESSORIES

CUTLERY TRAYS



Supra Drawer Box Plastic Cutlery Tray



Revo Drawer Box Metallic Cutlery Tray



Aluminium Cutlery Tray



Luxury Beech Cutlery Tray

ALUMINIUM PAN DRAWER ACCESSORIES



Orgflag Drawer Organiser



Aluminium Pan Drawer Organiser



Plate Stack



Orgawing

WASTE STORAGE



Waste bin



Recycle bin



300mm eco bin



400mm eco bin




600mm eco bin


40MM LAMINATE WORKTOPS

Hard-wearing and stylish, our 40mm laminate worktops add the perfect finishing touch. Choose from a wide range of colours and designs, specifically developed to coordinate with the Konzept kitchen range. Worktops are supplied in a bullnose or PVC edged specification and are available with co-ordinating upstands, splashbacks and blenders.*

* maximum worktop length 4000mm



Alaska



Alpine White



Copper Slate



Dark Ash



Everest Black



Natural Ash



Oak Block



Riverside Beige



Riverside Beige



Riverside Grey



Sandstone



Stella Mare



Tectonica



Turkish Marble



IDENTIFY YOUR WORKTOP

40MM PREMIUM WORKTOPS

Our premium 40mm worktops feature either textured or ultra smooth laminate finishes with a contemporary 3mm front radius providing a modern flat profile.

Worktops are available with co-ordinating worktop upstands and splashbacks.*

*maximum worktop length 3600mm



Cinnamon



Colmar Oak



Empire Slate




Liberty Rock



Marble Brown



Marble Veneto



Woodstone



Volcanic Ash



22MM WORKTOP

These stunning 22mm worktops feature subtle textured surfaces and are the cutting edge of laminate worktop design. The colour palette includes finishes that match selected kitchen range decors to create an ultra modern one colour kitchen, or to provide another option for mix and match designs. Worktops are available with matching blenders, upstands and splashbacks.*


*maximum worktop length 3000mm



Brazillia



Dark Oak



Designer White



Light Ash



Matt Stone

CORNER UNITS

All corner base units have centre hung doors with 110° hinges. Corner posts and blanking panels are fitted as standard. On corner base units with a corner post, a blanking panel covers the void of the unit.

A 600mm colour co-ordinated blanking panel is fitted where corner posts are NOT required - e.g. when the blank abuts a void for a freestanding appliance or tray space.

IMPORTANT: Please specify the handing of the side of the blanking panel when ordering.

Some of our corner base cabinets are available with a shelf or with a range of internal storage (not fitted). Storage options include Le Mans, ½ Carousel, or a Magic Corner.

Symphony's range of corner base units allows wide flexibility in the positioning of corner units for the clearance of water or soil vent pipes when required. Please specify the handing of the blanking panel side when ordering. For an explanation of handings see page 4.

CORNER SINK BASE UNITS


1000mm corner base units can also be supplied as corner sink units. To specify a corner sink unit, change the prefix letters on the standard corner base unit code from 'CB' to 'CS' as shown in the example below.

Unit Code	Description
CS106DC	1000mm Corner Sink Base Cabinet, 600mm Door


L SHAPE CORNER BASE UNIT

A corner unit with either a shelf or a revolving carousel. The two doors are hinged on the end panels and open to 170°. In order to facilitate transportation, the unit is supplied in two parts, one assembled and one ready for assembly (RFA) and the carousel or shelf must be fitted on site. Full height door or door and dummy drawer front styles are available. The dummy drawer fronts are fixed to the doors.


800mm Corner Base Cabinet



Full Height CB86FB
Drawer Line CB86DB




Full Height CB86FA
Drawer Line CB86DA




Full Height CB86FC
Drawer Line CB86DC

900mm Corner Base Cabinet




Full Height CB96FA
Drawer Line CB96DA


1000mm Corner Base Cabinet



Full Height Door CB106FB
Drawer Line CB106DB




Full Height Door CB106FA
Drawer Line CB106DA




Full Height Door CB106FC
Drawer Line CB106DC


1200mm Corner Base Cabinet



Full Height Door CB126FA
Drawer Line CB126DA




Full Height Door CB126FF
Drawer Line CB126DF




Full Height Door CB126FE
Drawer Line CB126DE

L Shaped Corner Base Cabinet



Full Height Door LSB99F
Drawer Line LSB99D

L Shaped Corner Base Cabinet with Carousel



Full Height Door LCB99F
Drawer Line LCB99D

CORNER POST

The corner post allows product ranges with protruding handles to be offset by 30mm in order to avoid possible clashing of drawer handles in a corner. The corner post automatically spaces out the units to the correct size across Dimension A (on Corner Post diagram below). However the fitter must remember to position the corner unit (as appropriate) from the wall.

18mm corner posts co-ordinate with the frontal. 15mm corner posts co-ordinate with the cabinet colour.

FRONTAL MATCHED FLEXIBLE CORNER UNITS

All standard corner base units are available with an optional flexible corner post instead of the normal corner post, to allow for adjustment of the position of return units in-situ. Flexible corner units are supplied with a fixed corner post panel (146mm), a fixed blanking panel and an adjustable corner post panel (42mm) which is supplied loose. All flexible corner units will coordinate with the kitchen frontal. To order the flexible corner post please add 'FP' to the current unit code where available.

To specify a flexible corner unit add a suffix to the standard unit code as shown below.

Variation	Suffix	Unit Code	Description
Flexible corner post	FP	CB106DCFP*	Corner base unit 1000 x 600 x 870. 600 door, flexible corner post


CORNER WALL CABINET

Conventional corner wall cabinets should be positioned 30mm from the return cabinet. If a corner post is supplied, this is to space out the return cabinet to avoid the clashing of protruding handles.


CORNER LARDER CABINET

Corner Larder Cabinets should be positioned 60mm from the return cabinet. The corner post, when fitted, will space out the cabinets to avoid the clash of handles. If the larder adjoins a base or wall cabinet, a full blanking panel (supplied) should be fitted.


Corner Post




Corner Larder Cabinet




600mm Corner Wall Cabinet



800mm Corner Wall Cabinet




900mm Corner Wall Cabinet



CABINETS FULL HEIGHT DOOR BASE CABINETS

Reduced Depth Single Base Cabinet


Height: 870mm
Depth: 285mm
Single adjustable shelf.
Hand by hinge.
150mm wide cabinets are 18mm Excel only.



Width	Code
150mm	BU1503F
300mm	BU33F
400mm	BU43F
450mm	BU453F
500mm	BU53F
600mm	BU63F

Reduced Depth Double Base Cabinet


Height: 870mm
Depth: 285mm
Single adjustable shelf.



Width	Code
800mm	BU83F
900mm	BU93F
1000mm	BU103F

Single Base Cabinet


Height: 870mm
Depth: 570mm
Single adjustable shelf.
Hand by hinge.
150mm wide cabinets are 18mm Excel only.



Width	Code
150mm	BU1506F
300mm	BU36F
400mm	BU46F
450mm	BU456F
500mm	BU56F
600mm	BU66F

Single Base Cabinet with Pull Out Basket


Height: 870mm
Depth: 570mm
Chrome pull out basket to be fitted on-site.



Width	Code
150mm	BU1506BAF

Double Base Cabinet


Height: 870mm
Depth: 570mm
Single adjustable shelf.



Width	Code
800mm	BU86F
900mm	BU96F
1000mm	BU106F
1200mm	BU126F

Corner Cabinet


Height: 870mm
Depth: 570mm
Single adjustable shelf.
Hand by blank, right hand blank shown.
110° hinges
Add 'FP' suffix for a frontal matched flexible corner post.



Width	Code
800mm 300 Door	CB86FB
800mm 400 Door	CB86FA
800mm 500 Door	CB86FC
900mm 450 Door	CB96FA

Corner Cabinet


Height: 870mm
Depth: 570mm
Single adjustable shelf.
Hand by blank, right hand blank shown.
110° hinges
Add 'FP' suffix for a frontal matched flexible corner post.



Width	Code
1000mm 400 Door	CB106FB
1000mm 500 Door	CB106FA
1000mm 600 Door	CB106FC
1200mm 600 Door	CB126FA

Corner Cabinet


Height: 870mm
Depth: 570mm
Single adjustable shelf.
Hand by blank, right hand blank shown.
110° hinges
Add 'FP' suffix for a frontal matched flexible corner post.



Width	Code
1200mm 300 and 400mm Doors	CB126FF
1200mm Two 400 Doors	CB126FE

L Shaped Corner Cabinet


Height: 870mm
Depth: 570mm
Supplied in 2 parts, one part flatpack, one part assembled.
Single adjustable shelf.
LCB99F is supplied with chrome 3/4 carousel (CAROBASKCX) - to be fitted on-site.
170° hinges



Width	Code
930x930mm	LSB99F
930x930mm with Carousel	LCB99F

45° Base Cabinet


Height: 870mm
Depth: 570mm
Single adjustable shelf.
Hand by hinge, left hand cabinet shown.
400mm door.
For soft close doors order FPK903.
Supplied RFA



Width	Code
300mm	DBU36F45

Flap Down Base Units

Height: 362mm
Depth: 285mm
To be wall hung.
18mm Excel only.




Width	Code
500mm	OCH536D
600mm	OCH636D
800mm	OCH836D
900mm	OCH936D
1000mm	OCH1036D

CABINETS

DRAWER LINE BASE CABINETS

Reduced Depth Single Base Cabinet


Height: 870mm
Depth: 285mm
Dummy drawer.
Single adjustable shelf.
Hand by hinge.
Not available in Inline.



Width	Code
300mm	BU33D
400mm	BU43D
450mm	BU453D
500mm	BU53D
600mm	BU63D

Double Reduced Depth Base Unit


Height: 870mm
Depth: 285mm
Two dummy drawers.
Single adjustable shelf.
Not available in Inline.



Width	Code
800mm	BU83D
900mm	BU93D
1000mm	BU103D

Single Base Cabinet


Height: 870mm
Depth: 570mm
Single drawer.
Single adjustable shelf.
Hand by hinge.
Not available in Inline.



Width	Code
300mm	BU36D
400mm	BU46D
450mm	BU456D
500mm	BU56D
600mm	BU66D

Double Base Cabinet


Height: 870mm
Depth: 570mm
Two drawers.
Single adjustable shelf.
Not available in Inline.



Width	Code
800mm	BU86D
900mm	BU96D
1000mm	BU106D
1200mm	BU126D

Corner Cabinet


Height: 870mm
Depth: 570mm
Single drawer.
Single adjustable shelf.
Hand by blank, right hand blank shown.
Not available in Inline.
110° hinges
Add 'FP' suffix for a frontal matched flexible corner post.



Width	Code
800mm 300 Door	CB86DB
800mm 400 Door	CB86DA
800mm 500 Door	CB86DC
900mm 450 Door	CB96DA

Corner Cabinet


Height: 870mm
Depth: 570mm
Single drawer.
Single adjustable shelf.
Hand by blank, right hand blank shown.
Not available in Inline.
110° hinges
Add 'FP' suffix for a frontal matched flexible corner post.



Width	Code
1000mm 400 Door	CB106DB
1000mm 500 Door	CB106DA
1000mm 600 Door	CB106DC
1200mm 600 Door	CB126DA

Corner Cabinet


Height: 870mm
Depth: 570mm
Two drawers.
Single adjustable shelf.
Hand by blank, right hand blank shown.
Not available in Inline.
110° hinges
Add 'FP' suffix for a frontal matched flexible corner post.



Width	Code
1200mm 300 and 400 Doors	CB126DF
1200mm Two 400 Doors	CB126DE

L Shaped Corner Cabinet


Height: 870mm
Depth: 570mm
Two dummy drawers.
Single adjustable shelf.
Supplied in 2 parts, one part flatpack, one part assembled.
LCB99D is supplied with chrome 3/4 carousel (CAROBASKCX) - to be fitted on-site.
Not available in Inline.
170° Hinges



Width	Code
930x930mm	LSB99D
930x930mm with Carousel	LCB99D

45° Base Cabinet

Height: 870mm
Depth: 570mm
Dummy drawer.
Hand by hinge, left hand cabinet shown.
400mm door.
Not available in Inline.
Supplied RFA



Width	Code
300mm	DBU36D45

CABINETS SINK & HOB BASE CABINETS

Single Full Height Sink Cabinet


Height: 870mm
Depth: 570mm

Supplied with Sink Liner.

Single adjustable shelf.

Hand by hinge.

For full height sink units without sink liners order standard base unit codes.



Width	Code
500mm	SU56SLF
600mm	SU66SLF


Double Full Height Sink Cabinet

Height: 870mm
Depth: 570mm

Supplied with Sink Liner.

Single adjustable shelf.

For full height sink units without sink liners order standard base unit codes.



Width	Code
800mm	SU86SLF
900mm	SU96SLF
1000mm	SU106SLF
1200mm	SU126SLF

Single Drawer Line Sink Cabinet

Height: 870mm
Depth: 570mm


With dummy drawer.

Supplied with Sink Liner.

Single adjustable shelf.

Hand by hinge.

Not available in Inline.



Width	Code
500mm	SU56SLD
600mm	SU66SLD

Double Drawer Line Sink Cabinet

Height: 870mm
Depth: 570mm


With one dummy drawer.

Supplied with Sink Liner.

Hand by drainer i.e. left hand (LHD) supplied with right hand dummy drawer.

Single adjustable shelf.

Not available in Inline.



Width	Code
800mm	SU86SLD
900mm	SU96SLD
1000mm	SU106SLD
1200mm	SU126SLD

Double Drawer Line Sink Cabinet


Height: 870mm
Depth: 570mm

With two dummy drawers.

Supplied with Sink Liner.

Single adjustable shelf.

Not available in Inline.



Width	Code
800mm	SU86SLDAI
900mm	SU96SLDAI
1000mm	SU106SLDAI
1200mm	SU126SLDAI

Single Drawer Line Sink Cabinet


Height: 870mm
Depth: 570mm

With dummy drawer.

Single adjustable shelf.

Hand by hinge.

Not available in Inline.



Width	Code
500mm	SU56DDD
600mm	SU66DDD

Double Drawer Line Sink Cabinet


Height: 870mm
Depth: 570mm

With one dummy drawer.

Hand by drainer i.e. left hand (LHD) supplied with right hand dummy drawer.

Single adjustable shelf.

Not available in Inline.



Width	Code
800mm	SU86D
900mm	SU96D
1000mm	SU106D
1200mm	SU126D


Double Drawer Line Sink Cabinet

Height: 870mm
Depth: 570mm

With two dummy drawers.

Single adjustable shelf.

Not available in Inline.



Width	Code
800mm	SU86DAI
900mm	SU96DAI
1000mm	SU106DAI
1200mm	SU126DAI

Sink Cabinet Three Drawer


Height: 870mm
Depth: 570mm

With dummy top drawer and middle and bottom cut away drawers.

Includes three sink baskets.

Supplied with Revo drawer box. 18mm Excel cabinet only.

Check sink depth. Maximum sink depth 220mm plus worktop thickness.



Width	Code
800mm	PD86D3SU3
900mm	PD96D3SU3
1000mm	PD106D3SU3

Sink Cabinet Two Drawer

Height: 870mm
Depth: 570mm


With top and bottom cut away drawers.

Includes three sink baskets.

Supplied with Revo drawer box. 18mm Excel cabinet only.

Check sink depth. Not compatible with undermount sinks.

Maximum sink depth 140mm plus worktop thickness.



Width	Code
800mm	PD86D2SU2
900mm	PD96D2SU2

Belfast Sink Cabinet

Height: 600mm
Depth: 570mm


Supplied with Sink Liner.

Cabinet not compatible with laminate worktops.

Supplied with 47mm fascia panel.

Hand by hinge.

Not available in Inline.



Width	Code
600mm	BSU66SLF


Hob Cabinet

Height: 870mm
Depth: 570mm

With two dummy drawers.

Single adjustable shelf.

Not available in Inline.



Width	Code
1000mm	HU106D


CABINETS DRAWER BASE CABINETS

Four Drawer Cabinet

Height: 870mm
Depth: 570mm

With dummy top drawer and three deeper drawers.

Not available in Inline.




Width	Code
400mm	DU46DAQ
500mm	DU56DAQ
600mm	DU66DAQ

Four Drawer Cabinet

Height: 870mm
Depth: 570mm

With one shallow drawer and three deeper drawers.

Not available in Inline.



Width	Code
400mm	DU46D
500mm	DU56D
600mm	DU66D

Full Height Door with 4 Internal Drawers

Height: 870mm
Depth: 570mm


With four Revo internal drawers.

Full height door.

Hand by hinge.

Suitable for cutlery trays 50mm smaller than the cabinet. Trays available for 450, 500 and 600 width cabinets, see p60 for details.

The soft close buffer SMOVE1170 is supplied automatically for soft close doors to be used in place of the standard buffer.



Width	Code
300mm	BU36F4ID
400mm	BU46F4ID
450mm	BU456F4ID
500mm	BU56F4ID
600mm	BU66F4ID

Full Height Door with 3 Deep Internal Drawers


Height: 870mm
Depth: 570mm

With three Revo internal deep drawers.

Full height door.

Hand by hinge.

The soft close buffer SMOVE1170 is supplied automatically for soft close doors to be used in place of the standard buffer.



Width	Code
300mm	BU36F3ID
400mm	BU46F3ID
450mm	BU456F3ID
500mm	BU56F3ID
600mm	BU66F3ID

Full Height Door with 1 Cutlery, 2 Deep Internal Drawers


Height: 870mm
Depth: 570mm

With one Revo internal cutlery drawer and two Revo internal deep drawers.

Full height door.

Hand by hinge.

The soft close buffer SMOVE1170 is supplied automatically for soft close doors to be used in place of the standard buffer.




Width	Code
500mm	BU56F3IDC
600mm	BU66F3IDC

Full Height Door with 1 Cutlery and 2 Deep Internal Drawers

Height: 870mm
Depth: 570mm

Full height door.

Full height drawer frontal attached to a deep internal drawer, with one internal cutlery drawer and one deep internal drawer.




Width	Code
600mm	BU66F2ID

Three Drawer Cabinet

Height: 870mm
Depth: 570mm

With one shallow drawer and two pan drawers.

The drawers on 800, 900 and 1000 widths supplied with Revo drawer box. 18mm Excel cabinet only.




Width	Code
500mm	PD56D3
600mm	PD66D3
800mm	PD86D3
900mm	PD96D3
1000mm	PD106D3

Two Drawer Cabinet

Height: 870mm
Depth: 570mm

With two deep pan drawers.

800 and 900 widths supplied with Revo drawer box. 18mm Excel cabinet only.



Width	Code
500mm	PD56D2
600mm	PD66D2
800mm	PD86D2
900mm	PD96D2


Two Drawer Cabinet

Height: 870mm
Depth: 570mm

With two deep pan drawers and internal top drawer.

800 and 900 widths supplied with Revo drawer box.

Supplied with Revo internal drawerbox



Width	Code
500mm	PD56D2IDT
600mm	PD66D2IDT
800mm	PD86D2IDT
900mm	PD96D2IDT

CABINETS

FEATURE BASE CABINETS

Wicker Basket Cabinet


Height: 870mm
Depth: 570mm
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
500mm	WBU56D

Accent Base Open Display Units

Height: 870mm
Depth: 285mm
Available in 18mm MFC matt colours: Blue, Cashmere, Dark Oak, Stone and Yellow.



Width	Code
500mm	ODUB572AC
600mm	ODUB672AC

Spice and Wine Rack Cabinet


Height: 870mm
Depth: 285mm
Four wine racks – holds up to 12 bottles.
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
300mm Melamine	BWR3

Spice and Wine Rack Cabinet


Height: 870mm
Depth: 285mm
Five wine slots.
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
150mm Melamine	SPWR15

Plate Rack Cabinet


Height: 870mm
Depth: 285mm
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
500mm Melamine	ODMB85

Lattice Wine Rack Cabinet


Height: 870mm
Depth: 285mm
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
500mm Melamine	ODMB95

Plate and Lattice Wine Rack Cabinet

Height: 870mm
Depth: 285mm
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.




Width	Code
500mm Melamine	ODMB105

CABINETS 561MM HIGH WALL CABINETS & FEATURE CABINETS

Single 561mm Wall Cabinet


Height: 561mm
Depth: 285mm
One adjustable shelf.
Hand by hinge.



Width	Code
300mm	WU356
400mm	WU456
450mm	WU4556
500mm	WU556
600mm	WU656

Single 561mm Wall Cabinet with Inset Handle


Height: 561mm
Depth: 285mm
One adjustable shelf.
Hand by hinge.
Available in selected Inline and Contemporary ranges only. See page 17.



Width	Code
300mm	WU356IN
400mm	WU456IN
450mm	WU4556IN
500mm	WU556IN
600mm	WU656IN

Double 561mm Wall Cabinet


Height: 561mm
Depth: 285mm
One adjustable shelf.



Width	Code
800mm	WU856
900mm	WU956
1000mm	WU1056

Double 561mm Wall Cabinet with Inset Handle


Height: 561mm
Depth: 285mm
One adjustable shelf.
Available in selected Inline and Contemporary ranges only. See page 17.



Width	Code
800mm	WU856IN
900mm	WU956IN
1000mm	WU1056IN

Corner Wall Cabinet


Height: 561mm
Depth: 285mm
One adjustable shelf.
Hand by blank, right hand blank shown.
15mm cabinets are supplied with 170° hinges (for soft close doors order SOFTCL170) and 18mm cabinets with 110° hinges (for soft close doors order SMOVE1110).
FP' suffix for a frontal matched flexible corner post.



Width	Code
600mm 300 Door	CWU656
600mm 400 Door	CWU656FB
800mm 500 Door	CWU856FA
900mm 600 Door	CWU956FC

Corner Wall Cabinet with Inset Handle


Height: 561mm
Depth: 285mm
One adjustable shelf.
Hand by blank, right hand blank shown.
15mm cabinets are supplied with 170° hinges (for soft close doors order SOFTCL170) and 18mm cabinets with 110° hinges (for soft close doors order SMOVE1110).
FP' suffix for a frontal matched flexible corner post.



Width	Code
600mm 300 Door	CWU656IN
600mm 400 Door	CWU656INFB
800mm 500 Door	CWU856INFA
900mm 600 Door	CWU956INFC

Open Wall Cabinet


Height: 561mm
Depth: 285mm
Single fixed shelf.
Available in melamine cabinet colours.
Not available in Inline.



Width	Code
500mm Melamine	ODU556

Accent Wall Open Display Units

Height: 561mm
Depth: 285mm
Available in 18mm MFC matt colours: Blue, Cashmere, Dark Oak, Stone and Yellow.




Width	Code
500mm	ODU556AC
500mm	ODU656AC

CABINETS 724MM HIGH WALL CABINETS

Single Wall Cabinet


Height: 724mm
Depth: 285mm
Single adjustable shelf (15mm Vista). Two adjustable shelves (18mm Excel).
Hand by hinge.
150mm wide cabinets are 18mm Excel only.



Width	Code
150mm	WU15072
300mm	WU372
400mm	WU472
450mm	WU4572
500mm	WU572
600mm	WU672

Single Wall Cabinet with Inset Handle


Height: 724mm
Depth: 285mm
Single adjustable shelf (15mm Vista). Two adjustable shelves (18mm Excel).
Hand by hinge.
Available in selected Inline and Contemporary ranges only. See page 17.
150mm wide cabinets are 18mm Excel only.



Width	Code
150mm	WU15072IN
300mm	WU372IN
400mm	WU472IN
450mm	WU4572IN
500mm	WU572IN
600mm	WU672IN

Double Wall Cabinet


Height: 724mm
Depth: 285mm
Single adjustable shelf (15mm Vista). Two adjustable shelves (18mm Excel).



Width	Code
800mm	WU872
900mm	WU972
1000mm	WU1072

Double Wall Cabinet with Inset Handle


Height: 724mm
Depth: 285mm
Single adjustable shelf (15mm Vista). Two adjustable shelves (18mm Excel).
Available in selected Inline and Contemporary ranges only. See page 17.



Width	Code
800mm	WU872IN
900mm	WU972IN
1000mm	WU1072IN

Bi-fold Wall Cabinet


Height: 724mm
Depth: 285mm
Single adjustable shelf.
18mm Excel cabinet only.



Width	Code
500mm	HFWU572
600mm	HFWU672
800mm	HFWU872
900mm	HFWU972

Bi-fold Wall Cabinet with Inset Handle

Height: 724mm
Depth: 285mm
Single adjustable shelf.
18mm Excel cabinet only.
Available in selected Inline and Contemporary ranges only. See page 17.



Width	Code
500mm	HFWU572IN
600mm	HFWU672IN
800mm	HFWU872IN
900mm	HFWU972IN

Glazed Wall Cabinet

Height: 724mm
Depth: 285mm
Two adjustable glass shelves.
See page 17 for glazed cabinet availability.
Hand by hinge.
Not available in Inline.
18mm Excel cabinet only.
110° Hinges



Width	Code
400mm	GDU472
500mm	GDU572

Metallic Framed Glazed Wall Cabinet


Height: 724mm
Depth: 285mm
Two adjustable glass shelves.
Hand by hinge.
18mm Excel cabinet only.
For soft close doors order SOFTCLOSEGL
Not available in Inline.



Width	Code
400mm	GDU472SL
500mm	GDU572SL

Corner Wall Cabinet


Height: 724mm
Depth: 285mm
Two adjustable shelves.
Hand by blank, right hand blank shown.
15mm cabinets are supplied with 170° hinges (for soft close doors order SOFTCL170) and 18mm cabinets with 110° hinges (for soft close doors order SMOVE1110).
FP' suffix for a frontal matched flexible corner post.



Width	Code
600mm 300 Door	CWU672
600mm 400 Door	CWU672FB
800mm 500 Door	CWU872FA
900mm 600 Door	CWU972FC

Corner Wall Cabinet with Inset Handle


Height: 724mm
Depth: 285mm
Two adjustable shelves.
Hand by blank, right hand blank shown.
15mm cabinets are supplied with 170° hinges (for soft close doors order SOFTCL170) and 18mm cabinets with 110° hinges (for soft close doors order SMOVE1110).
FP' suffix for a frontal matched flexible corner post.



Width	Code
600mm 300 Door	CWU672IN
600mm 400 Door	CWU672INFB
800mm 500 Door	CWU872INFA
900mm 600 Door	CWU972INFC

Microwave Wall Cabinet

Height: 724mm
Depth: 330mm
296 door
47 fascia
358 aperture
This unit is deeper than standard wall units so will not line up.
Check microwave dimensions before ordering. Typically 17 litre microwaves suit this housing.
Maximum appliance dimensions 406mm high x 564mm wide.
Not available in Inline.




Width	Code
600mm	MWU672

CABINETS 724MM HIGH FEATURE WALL CABINETS

Accent Wall Open Display Units

Height: 724mm
Depth: 285mm

Available in 18mm MFC matt colours: Blue, Cashmere, Dark Oak, Stone and Yellow.



Width	Code
500mm	ODU572AC
600mm	ODU672AC

Spice and Wine Rack Wall Cabinet


Height: 724mm
Depth: 285mm

Four wine racks – holds up to 12 bottles.

Available in melamine cabinet colours.

18mm Excel cabinet only.

Not available in Inline.



Width	Code
300mm Melamine	WWR372

Spice and Wine Rack Cabinet

Height: 724mm
Depth: 285mm

Five wine slots.

Available in melamine cabinet colours.

18mm Excel cabinet only.

Not available in Inline.



Width	Code
150mm Melamine	SPWR15


Open Wall Cabinet

Height: 724mm
Depth: 285mm

Single fixed shelf.

Available in melamine cabinet colours.

Not available in Inline.



Width	Code
300mm Melamine	ODU372
400mm Melamine	ODU472
500mm Melamine	ODU572
600mm Melamine	ODU672


Three Spice Drawer Wall Cabinet

Height: 724mm
Depth: 285mm

Available in melamine cabinet colours.

18mm Excel cabinet only.

Not available in Inline.



Width	Code
500mm Melamine	ODMW3572

Plate Rack Wall Cabinet

Height: 724mm
Depth: 285mm

Available in melamine cabinet colours.

18mm Excel cabinet only.

Not available in Inline.



Width	Code
500mm Melamine	ODMW8572


Lattice Wine Rack Wall Cabinet

Height: 724mm
Depth: 285mm

Available in melamine cabinet colours.

18mm Excel cabinet only.

Not available in Inline.



Width	Code
500mm Melamine	ODMW9572


Plate and Lattice Wine Rack Wall Cabinet

Height: 724mm
Depth: 285mm

Available in melamine cabinet colours.

18mm Excel cabinet only.

Not available in Inline.



Width	Code
500mm Melamine	ODMW10572

Open Display Wall Cabinet Frame

Height: 724mm

Available in Blonde Oak, Ivory and Painted Ivory.

Not available in Inline.




Width	Code
500mm	ODUFRAME

CABINETS 900MM HIGH WALL CABINETS AND FEATURE CABINETS

Single Wall Cabinet


Height: 900mm
Depth: 285mm
Two adjustable shelves.
Hand by hinge.



Width	Code
300mm	WU390
400mm	WU490
450mm	WU4590
500mm	WU590
600mm	WU690

Single Wall Cabinet with Inset Handle


Height: 900mm
Depth: 285mm
Two adjustable shelves.
Hand by hinge.
Available in selected Inline and Contemporary ranges only. See page 17.



Width	Code
300mm	WU390IN
400mm	WU490IN
450mm	WU4590IN
500mm	WU590IN
600mm	WU690IN

Double Wall Cabinet


Height: 900mm
Depth: 285mm
Two adjustable shelves.



Width	Code
800mm	WU890
900mm	WU990
1000mm	WU1090

Double Wall Cabinet with Inset Handle


Height: 900mm
Depth: 285mm
Two adjustable shelves.



Width	Code
800mm	WU890IN
900mm	WU990IN
1000mm	WU1090IN

Corner Wall Cabinet


Height: 900mm
Depth: 285mm
Two adjustable shelves.
Hand by blank, right hand blank shown.
15mm cabinets are supplied with 170° hinges (for soft close doors order SOFTCL170) and 18mm cabinets with 110° hinges (for soft close doors order SMOVE1110).
FP' suffix for a frontal matched flexible corner post.



Width	Code
600mm 300 door	CWU690
600mm 400 door	CWU690FB
800mm 500 door	CWU890FA
900mm 600 door	CWU990FC

Corner Wall Cabinet with Inset Handle


Height: 900mm
Depth: 285mm
Two adjustable shelves.
Hand by blank, right hand blank shown.
15mm cabinets are supplied with 170° hinges (for soft close doors order SOFTCL170) and 18mm cabinets with 110° hinges (for soft close doors order SMOVE1110).
FP' suffix for a frontal matched flexible corner post.



Width	Code
600mm 300 door	CWU690IN
600mm 400 door	CWU690INFB
800mm 500 door	CWU890INF
900mm 600 door	CWU990INFC

Glazed Wall Cabinet

Height: 900mm
Depth: 285mm
Two adjustable glass shelves.
See page 17 for glazed cabinet availability.
Hand by hinge.
18mm Excel cabinet only.
Not available in Inline.
110° Hinges



Width	Code
500mm	GDU590

Spice and Wine Rack Wall Cabinet


Height: 900mm
Depth: 285mm
Five wine racks – holds up to 15 bottles.
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
300mm Melamine	WWR390

Open Wall Cabinet


Height: 900mm
Depth: 285mm
Single fixed shelf.
Available in melamine cabinet colours.
18mm Excel cabinet only.
Not available in Inline.



Width	Code
500mm Melamine	ODU590

Three Spice Drawer Wall Cabinet

Height: 900mm
Depth: 285mm
Available in melamine cabinet colours
18mm Excel cabinet only.
Not available in Inline.



Width	Code
500mm Melamine	ODMW3590

Open Display Wall Cabinet Frame

Height: 900mm
Available in Blonde Oak, Ivory and Painted Ivory.
Not available in Inline.




Width	Code
500mm	ODUFRAME90

CABINETS BRIDGING CABINETS

Over Cooker Hood

Height: 300mm
Depth: 285mm

Top lift door with flap stay.




Width	Code
600mm	OCH63

Over Cooker Hood with Inset Handle

Height: 300mm
Depth: 285mm

Top lift door with flap stay.

Available in selected Inline and Contemporary ranges only. See page 17.




Width	Code
600mm	OCH63IN

Glazed Over Cooker Hood

Height: 300mm
Depth: 285mm

Top lift door with gas piston lift.

See page 17 for ranged glazed door availability.



Width	Code
400	OCH43SL
500	OCH53SL
600	OCH63SL
800	OCH83SL
1000	OCH103SL


Bridging Cabinet

Height: 362mm
Depth: 285mm

Cabinets line through with bi-fold cabinets.

18mm Excel cabinet only.

Top lift door with gas piston lift.



Width	Code
500mm	OCH536
600mm	OCH636
800mm	OCH836
900mm	OCH936


Bridging Cabinet with Inset Handle

Height: 362mm
Depth: 285mm

Cabinets line through with bi-fold cabinets.

Top lift door with gas piston lift.

Available in selected Inline and Contemporary ranges only. See page 17.



Width	Code
500mm	OCH536IN
600mm	OCH636IN
800mm	OCH836IN
900mm	OCH936IN


Bridging Unit for 1000mm Wide American Fridge Freezers

Height: 280mm
Depth: 285mm

For use over American style side by side fridge freezer.

Top lift door with flap stay.

18mm Excel cabinet only.



Width	Code
1000mm	OCH1028

Bridging Unit for 1000mm Wide American Fridge Freezers with Inset Handle


Height: 280mm
Depth: 285mm

For use over American style side by side fridge freezer.

Top lift door with flap stay.

18mm Excel cabinet only.

Available in selected Inline and Contemporary ranges only. See page 17.




Width	Code
1000mm	OCH1028IN

Accent Open Bridging Units

Height: 362mm
Depth: 285mm

Available in 18mm MFC matt colours: Blue, Cashmere, Dark Oak, Stone and Yellow.



Width	Code
500mm	ODU536AC
600mm	ODU636AC
900mm	ODU936AC

CABINETS BOILER HOUSINGS AND BASE OVEN HOUSINGS


Wall Boiler Cabinet

Height: 724mm
Depth: 400mm

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

Supplied RFA with 15mm Vista cabinet only.



Width	Code
500mm	BH572
600mm	BH672

Wall Boiler Cabinet with Inset Handle


Height: 724mm
Depth: 400mm

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

Supplied RFA with 15mm Vista cabinet only.

Available in Selected Inline and Contemporary ranges only. See page 17.



Width	Code
500mm	BH572IN
600mm	BH672IN


Wall Boiler Cabinet

Height: 900mm
Depth: 400mm

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

Supplied RFA.



Width	Code
500mm	BH590
600mm	BH690

Wall Boiler Cabinet with Inset Handle


Height: 900mm
Depth: 400mm

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

Supplied RFA with 15mm Vista cabinet only.

Available in Selected Inline and Contemporary ranges only. See page 17.



Width	Code
500mm	BH590IN
600mm	BH690IN

Dresser Boiler Cabinet


Height: 1190mm
Depth: 400mm

900 door
276 dummy drawer

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

18mm Excel cabinet only. Supplied RFA.



Width	Code
600mm	BH612

Dresser Boiler Cabinet


Height: 1366mm
Depth: 400mm

1228 door
120 fascia

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

18mm Excel cabinet only. Supplied RFA.



Width	Code
600mm	BH613

Dresser Boiler Cabinet


Height: 1560mm
Depth: 400mm

1228 door
47 fascia
276 dummy drawer

Boiler housings are not supplied with soft close doors in soft close kitchens.

Hand by hinge.

Supplied RFA with 15mm Vista white cabinet only.



Width	Code
600mm	BH615


Base Oven Housing

Height: 870mm
Depth: 570mm

72 fascia
598 aperture
47 fascia

Check that hob and oven installation depths are compatible with the thickness of worktop.

18mm Excel cabinet only.



Width	Code
600mm	BOH66


Built Under Microwave Housing

Height: 870mm
Depth: 570mm

72mm fascia
459 aperture
183 drawer

Check that hob and oven installation depths are compatible with the thickness of worktop.

18mm Excel cabinet only.



Width	Code
600mm	MBOH66

CABINETS 2100MM HIGH LARDER CABINETS

70/30 Reduced Depth Larder Unit

Height: 2100mm
Depth: 285mm
1228 door
720 door
One fixed shelf and four additional shelves.
Hand by hinge.
18mm Excel cabinet only.



Width	Code
300mm with doors	LU33

70/30 Larder Cabinet

Height: 2100mm
Depth: 570mm
1228 door
720 door
One fixed shelf and four additional shelves.
Hand by hinge.



Width	Code
300mm	LU36
500mm	LU56
600mm	LU66

30/70 Larder Cabinet

Height: 2100mm
Depth: 570mm
720 door
1228 door
One fixed shelf and four additional shelves.
Hand by hinge.



Width	Code
300mm	LU36B
500mm	LU56B
600mm	LU66B

50/50 Larder Cabinet

Height: 2100mm
Depth: 570mm
1018 door
930 door
One fixed shelf and four additional shelves.
Hand by hinge.



Width	Code
600mm	LU66A

70/30 Larder Cabinet with Internal Deep Drawers

Height: 2100mm
Depth: 570mm
1228 door
720 door
Five Revo internal deep drawers.
Drawers supplied separately.
Hand by hinge.



Width	Code
300mm	LU36ID
500mm	LU56ID
600mm	LU66ID

50/50 Larder Cabinet with Internal Drawers


Height: 2100mm
Depth: 570mm
1018 door
930 door
Five Revo internal deep drawers.
Drawers supplied separately.
Hand by hinge.



Width	Code
600mm	LU66AID

70/30 Larder Cabinet with Pull-out Chrome Baskets


Height: 2100mm
Depth: 570mm
Five pull out baskets to be fitted on-site
Not soft close.



Width	Code
300mm	PL36

70/30 Corner Larder Cabinet


Height: 2100mm
Depth: 570mm
1228 door
720 door
Two doors, five additional shelves.
Supplied with blanking panel (750x2400mm).
Hand by blank.
18mm Excel cabinet only.
Supplied RFA.



Width	Code
1000mm with 500mm doors	CNLU106
1000mm with 600mm doors	CNLU106C

50/50 Corner Larder Cabinet

Height: 2100mm
Depth: 570mm
1018 door
930 door
Two doors, five additional shelves.
Supplied with blanking panel (750x2400mm).
Hand by blank.
18mm Excel cabinet only.
Supplied RFA.




Width	Code
1000mm with 600mm doors	CNLU106A

CABINETS 2100MM HIGH PANTRY UNITS

Two Drawer Pantry Cabinet

Height: 2100mm
Depth: 570mm
1228 door (x1)
358 drawers (x2)
One top door and two deep pan drawers.
Three adjustable shelves.
Hand by hinge
18mm Excel cabinet only.



Width	Code
600mm	PU6621D2A

Two Drawer Pantry Cabinet


Height: 2100mm
Depth: 570mm
1228 doors (x2)
358 drawers (x2)
Two top doors and two deep pan drawers.
Three adjustable shelves.
18mm Excel cabinet only.



Width	Code
600mm	PU6621D2

Three Drawer Pantry Cabinet

Height: 2100mm
Depth: 570mm
1228 doors (x1)
159 drawer
276 drawers (x2)
One top door, one shallow drawer and two pan drawers.
Three adjustable shelves.
Hand by hinge.
18mm Excel cabinet only.



Width	Code
600mm	PU6621D3A

Three Drawer Pantry Cabinet


Height: 2100mm
Depth: 570mm
1228 doors (x2)
159 drawer
276 drawers (x2)
Two top doors, one shallow drawer and two pan drawers.
Three adjustable shelves.
18mm Excel cabinet only.



Width	Code
600mm	PU6621D3

Four Drawer Pantry Cabinet

Height: 2100mm
Depth: 570mm
1228 doors (x1)
159 drawer
183 drawers (x3)
One top door and four drawers.
Three adjustable shelves.
Hand by hinge.
18mm Excel cabinet only.



Width	Code
600mm	PU6621D4A

Four Drawer Pantry Cabinet


Height: 2100mm
Depth: 570mm
1228 doors (x2)
159 drawer
183 drawers (x3)
Two top doors and four drawers.
Three adjustable shelves.
Not available in Inline.
18mm Excel cabinet only.



Width	Code
600mm	PU6621D4

Pantry Cabinet

Height: 2100mm
Depth: 570mm
1228 doors (x2)
720 doors (x2)
Five adjustable shelves.
Supplied RFA.
18mm Excel cabinet only.




Width	Code
1000mm	PU106

CABINETS 2276MM HIGH LARDER & PANTRY CABINETS

70/30 Reduced Depth Tall Larder Unit

Height: 2276mm
Depth: 285mm
1228 door
896 door
One fixed shelf and five additional shelves.
Hand by hinge.



Width	Code
300mm	LU3323

70/30 Tall Larder Cabinet

Height: 2276mm
Depth: 570mm
1228 door
896 door
One fixed shelf and five additional shelves.
Hand by hinge.



Width	Code
300mm	LU3623
500mm	LU5623
600mm	LU6623

50/50 Tall Larder Cabinet


Height: 2276mm
Depth: 570mm
1106 door
1018 door
One fixed shelf and four additional shelves.
Hand by hinge.



Width	Code
600mm	LU6623A

70/30 Tall Larder Cabinet with Internal Deep Drawers

Height: 2276mm
Depth: 570mm
1228 door
896 door
Five Revo internal deep drawers.
Drawers supplied separately.
Hand by hinge.



Width	Code
300mm	LU3623ID
500mm	LU5623ID
600mm	LU6623ID

50/50 Tall Larder Cabinet with Internal Drawers

Height: 2276mm
Depth: 570mm
1106 door
1018 door
Five Revo internal deep drawers.
Drawers supplied separately.
Hand by hinge.



Width	Code
600mm	LU6623AID

Tall 70/30 Larder Cabinet with Standard Pull-out Chrome Baskets


Height: 2276mm
Depth: 570mm
Single fixed shelf.
Five pull out baskets to be fitted on-site.
Not soft close.



Width	Code
300mm	PL3623

Tall 70/30 Corner Larder Cabinet


Height: 2276mm
Depth: 570mm
1228 door
896 door
Two doors, five additional shelves.
Supplied with blanking panel (750x2400mm).
Hand by blank.
18mm Excel cabinet only.
Supplied RFA.



Width	Code
1000mm with 500mm doors	CNLU10623
1000mm with 600mm doors	CNLU10623C

Tall 50/50 Corner Larder Cabinet


Height: 2276mm
Depth: 570mm
1106x600 door
1018x600 door
Two doors, five additional shelves.
Supplied with blanking panel (750x2400mm).
Hand by blank.
18mm Excel cabinet only.
Supplied RFA.



Width	Code
1000mm with 600mm doors	CNLU10623A

Tall Pantry Cabinet

Height: 2276mm
Depth: 570mm
1228 doors (x2)
896 door (x2)
Five adjustable shelves.
18mm Excel cabinet only.
Supplied RFA.




Width	Code
1000mm	PU10623

CABINETS 2100MM HIGH OVEN HOUSINGS

Single Oven Housing

Height: 2100mm
Depth: 570mm

557 door
72 fascia
595 aperture
159 drawer
557 door
Hand by hinge.




Width	Code
600mm	OH664A

Single Oven Housing

Height: 2100mm
Depth: 570mm

720 door
72 fascia
595 aperture
557 door
Hand by hinge.




Width	Code
600mm	OH665A

Single Oven Housing

Height: 2100mm
Depth: 570mm

557 door
72 fascia
595 aperture
720 door
Hand by hinge.




Width	Code
600mm	OH666A

Single Oven Housing

Height: 2100mm
Depth: 570mm

557 door
72 fascia
594 aperture
159 drawer
276 drawer
276 drawer
Hand by hinge.




Width	Code
600mm	OH6610A

Single Oven Housing

Height: 2100mm
Depth: 570mm

557 door
72 fascia
594 aperture
358 drawer
358 drawer
Hand by hinge.




Width	Code
600mm	OH6610E

Single Oven and Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

450 door
72 fascia
459 aperture
18 shelf
595 aperture
358 drawer
Hand by hinge.




Width	Code
600mm	OH661F

Single Oven and Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

450 door
47 fascia
388 aperture
18 shelf
595 aperture
450 drawer
Hand by hinge.
Drawer contains one wirework basket and one metal sided basket.




Width	Code
600mm	OH662A

Single Oven and Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

358 flap
72 fascia
459 aperture
18 shelf
590 aperture
450 drawer
Hand by hinge.
Drawer contains one wirework basket and one metal sided basket.




Width	Code
600mm	OH662N

Single Oven Housing

Height: 2100mm
Depth: 570mm

896 door
590 aperture
450 drawer
Hand by hinge.
Drawer contains one wirework basket and one metal sided basket.




Width	Code
600mm	OH662O

Single Oven and Integrated Fridge Housing

Height: 2100mm
Depth: 570mm

358 flap
72 fascia
595 aperture
930 door
Hand by hinge.
Check fridge freezer specification.
Frontals are hinged to cabinets designed for slider fixing appliances.
Appliance frontals are supplied separately to the cabinet for door-on-door appliances.




Width	Code
600mm (slider fixing appliances)	OFH66A
600mm (door-on-door appliances)	OFH66AND
Cabinet without appliance doors	DRIFBOT1A55
930 appliance door	

Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

720 door
47 fascia
457 aperture
720 door




Width	Code
600mm	OH667A

Microwave/Compact Appliance Housing

Height: 2100mm
Depth: 570mm

720 door
120 fascia
384 aperture
720 door




Width	Code
600mm	OH667B

CABINETS 2100MM HIGH OVEN HOUSINGS

Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

296 flap
72 fascia
18 shelf
377 aperture
462 aperture
720 door




Width	Code
600mm	OH669A

Compact Appliance Housing

Height: 2100mm
Depth: 570mm

296 flap
72 fascia
18 shelf
72 fascia
377 aperture
406 aperture
720 door

Hand by hinge.




Width	Code
600mm	OH669B

Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

720 door
47 fascia
456 aperture
159 drawer
276 drawer
276 drawer

Hand by hinge.




Width	Code
600mm	OH6610D

Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

720 door
47 fascia
456 aperture
358 drawer
358 drawer
Hand by hinge.




Width	Code
600mm	OH6610G

Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

296 flap
72 fascia
390 aperture
72 fascia
393 aperture
159 drawer
276 drawer
276 drawer



Width	Code
600mm	OH6610C


Compact Oven and Integrated Fridge Housing

Height: 2100mm
Depth: 570mm

557 door
457 aperture
930 door

Hand by hinge.

Check fridge freezer specification.
Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.




Width	Code
600mm (slider fixing appliances)	OFH66B
600mm (door-on-door appliances)	OFH66BND
Cabinet without appliance doors	DRIFBOT1ASS

Microwave/Compact Oven Housing

Height: 2100mm
Depth: 570mm

296 flap
72 fascia
390 aperture
72 fascia
393 aperture
358 drawer
358 drawer




Width	Code
600mm	OH6610F

Double Oven Housing

Height: 2100mm
Depth: 570mm

450 door
47 fascia
890 aperture
557 door

Hand by hinge.




Width	Code
600mm	OH663A

Double Oven Housing

Height: 2100mm
Depth: 570mm

450 door
47 fascia
889 aperture
276 drawer
276 drawer

Hand by hinge.




Width	Code
600mm	OH6610B

Double Oven and Compact Appliance Housing

Height: 2100mm
Depth: 570mm

296 flap
457 aperture
18 shelf
875 aperture
296 drawer




Width	Code
600mm	OH668C

Double Oven and Compact Appliance Housing

Height: 2100mm
Depth: 570mm

450 door
72 fascia
455 aperture
18 shelf
888 aperture
72 fascia




Width	Code
600mm	OH668D

Important: Please check the appliance manufacturer's instructions as to the venting requirements for any particular appliance. All appliances must be fitted strictly in accordance with the manufacturer's instructions. Check appliance dimensions fit the appliance housing before ordering. Fascia panels can be cut to suit. Edging tape is available for re-edging the fascia after cutting.

CABINETS 2276MM HIGH OVEN HOUSINGS

Single Oven Housing


Height: 2276mm
Depth: 570mm
720 door
72 fascia
608 aperture
159 drawer
557 door
Hand by hinge.



Width	Code
600mm	OH66234A

Single Oven Housing


Height: 2276mm
Depth: 570mm
896 door
72 fascia
595 aperture
557 door
Hand by hinge.



Width	Code
600mm	OH66235A

Single Oven Housing


Height: 2276mm
Depth: 570mm
557 door
72 fascia
595 aperture
896 door
Hand by hinge.



Width	Code
600mm	OH66236A

Single Oven Housing


Height: 2276mm
Depth: 570mm
720 door
72 fascia
607 aperture
159 drawer
276 drawer
276 drawer
Hand by hinge.



Width	Code
600mm	OH662310A

Single Oven Housing


Height: 2276mm
Depth: 570mm
720 door
72 fascia
607 aperture
358 drawer
358 drawer
Hand by hinge.



Width	Code
600mm	OH662310E

Single Oven and Microwave/Compact Oven Housing

Height: 2276mm
Depth: 570mm
720 door
47 fascia
459 aperture
18 shelf
595 aperture
296 drawer
Hand by hinge.



Width	Code
600mm	OH66231A

Single Oven and Microwave/Compact Oven Housing


Height: 2276mm
Depth: 570mm
557 door
120 fascia
479 aperture
18 shelf
595 aperture
72 fascia
296 drawer



Width	Code
600mm	OH66231C

Single Oven and Microwave/Compact Oven Housing


Height: 2276mm
Depth: 570mm
557 door
120 fascia
375 aperture
18 shelf
595 aperture
450 drawer
Hand by hinge.
Drawer contains one wirework basket and one metal sided basket.



Width	Code
600mm	OH66232A

Single Oven and Microwave/compact appliance Housing

Height: 2276mm
Depth: 570mm
557 door
120 fascia
390 aperture
18 shelf
590 aperture
450 drawer
Drawer contains one wirework basket and one metal sided basket.



Width	Code
600mm	OH66232H

Single Oven and Microwave/compact appliance Housing


Height: 2276mm
Depth: 570mm
557 door
47 fascia
459 aperture
18 shelf
595 aperture
450 drawer
Drawer contains one wirework basket and one metal sided basket.



Width	Code
600mm	OH66232I

Single Oven and Integrated Fridge Housing


Height: 2276mm
Depth: 570mm
557 door
47 fascia
594 aperture
930 door
Hand by hinge.
Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	OFH6623C
600mm (door-on-door appliances)	OFH6623CND
Cabinet without appliance doors	DRIFBOT1ASS
930 appliance door	

Microwave/Compact Oven Housing

Height: 2276mm
Depth: 570mm
896 door
47 fascia
457 aperture
720 door
Hand by hinge.




Width	Code
600mm	OH66237A

CABINETS 2276MM HIGH INTEGRATED HOUSINGS

Microwave/Compact Appliance Housing

Height: 2276mm
Depth: 570mm

896 door
120 fascia
382 aperture
720 door




Width	Code
600mm	OH66237B

Microwave/Compact Oven Housing

Height: 2276mm
Depth: 570mm

896 door
47 fascia
456 aperture
159 drawer
276 drawer
276 drawer
Hand by hinge.




Width	Code
600mm	OH662310D

Microwave/Compact Oven Housing

Height: 2276mm
Depth: 570mm

896 door
47 fascia
456 aperture
358 drawer
358 drawer
Hand by hinge.




Width	Code
600mm	OH662310G

Microwave/Compact Oven Housing

Height: 2276mm
Depth: 570mm

557 door
72 fascia
770 aperture
159 drawer
276 drawer
276 drawer
Hand by hinge.




Width	Code
600mm	OH662310C

Microwave/Compact Oven Housing

Height: 2276mm
Depth: 570mm

557 door
72 fascia
770 aperture
358 drawer
358 drawer
Hand by hinge.




Width	Code
600mm	OH662310F

Compact Oven and Integrated Fridge Housing

Height: 2276mm
Depth: 570mm

720 door
47 fascia
455 aperture
930 door
Hand by hinge.

Check fridge freezer specification.
Frontals are hinged to cabinets designed for slider fixing appliances.
Appliance frontals are supplied door-on-door appliances.




Width	Code
600mm	OFH6623D
600mm (door-on-door appliances)	OFH6623DND
Cabinet without appliance doors	DRIFBOT1ASS
930 appliance door	

Double Oven Housing

Height: 2276mm
Depth: 570mm

557 door
120 fascia
890 aperture
557 door
Hand by hinge.




Width	Code
600mm	OH66233A

Double Oven Housing

Height: 2276mm
Depth: 570mm

557 door
120 fascia
885 aperture
276 drawer
276 drawer
Hand by hinge.




Width	Code
600mm	OH662310B

Double Oven and Microwave/Compact Appliance Housing

Height: 2276mm
Depth: 570mm

450 door
47 fascia
453 aperture
18 shelf
888 aperture
276 drawer




Width	Code
600mm	OH66238A

Double Oven and Microwave/Compact Appliance Housing

Height: 2276mm
Depth: 570mm


450 door
120 fascia
380 aperture
18 shelf
888 aperture
276 drawer



Width	Code
600mm	OH66238B

Oven Housing Fascia Panels

600w replacement fascia panels



Height	Code
47mm	FAAH4
72mm	FAAH7
120mm	FAAHB

Important: Please check the appliance manufacturer's instructions as to the venting requirements for any particular appliance. All appliances must be fitted strictly in accordance with the manufacturer's instructions. Check appliance dimensions fit the appliance housing before ordering. Fascia panels can be cut to suit. Edging tape is available for re-edging the fascia after cutting.

CABINETS 2100MM & 2276MM HIGH INTEGRATED FRIDGE/ FREEZER HOUSINGS

50/50 Integrated Housing


Height: 2100mm
Depth: 570mm

1018 door
930 door

Hand by hinge.

One appliance behind top and bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF66A
600mm (door-on-door appliances)	IF66AND
Cabinet without appliance doors	DRIFTTOP1ASS
1018 appliance door	DRIFTBOT1ASS
930 appliance door	

In-Column Integrated Housing


Height: 2100mm
Depth: 570mm

720 door
1228 door

Hand by hinge.

One appliance behind bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF66B
600mm (door-on-door appliances)	IF66BND
Cabinet without appliance doors	DRIFBOT2ASS
1228 appliance door	

In-Column Integrated Housing


Height: 2100mm
Depth: 570mm

296 flap
930 door
720 door

Hand by hinge.

One appliance behind middle door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF66C
600mm (door-on-door appliances)	IF66CND
Cabinet without appliance doors	DRIFMIDASS
930 appliance door	

70/30 Integrated Housing


Height: 2100mm
Depth: 570mm

1228 door
720 door

Hand by hinge.

One appliance behind top and bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF66D
600mm (door-on-door appliances)	IF66DND
Cabinet without appliance doors	DRIFTOP2ASS
1228 appliance door	DRIFBOT3ASS
720 appliance door	

70/30 Integrated Housing


Height: 2100mm Depth: 570mm
1228 door 720 door

Hand by hinge.

For use with NEFF, Bosch and Siemens appliances only (appliance sits higher to allow it to align with doors).

One appliance behind top and bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF66G
600mm (door-on-door appliances)	IF66GND
Cabinet without appliance doors	DRIFTOP2GASS
1228 appliance door	DRFH6GASS
720 appliance door	

Tall In-Column Integrated Housing

Height: 2276mm
Depth: 570mm

896 door
1228 door

Hand by hinge.

One appliance behind bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6623B
600mm (door-on-door appliances)	IF6623BND
Cabinet without appliance doors	DRIFBOT2ASS
1228 appliance door	

Tall In-Column Integrated Housing


Height: 2276mm
Depth: 570mm

296 flap
930 door
896 door

Hand by hinge.

One appliance behind middle door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6623C
600mm (door-on-door appliances)	IF6623CND
Cabinet without appliance doors	DRIFMIDASS
930 appliance door	

Tall 70/30 Integrated Housing


Height: 2276mm
Depth: 570mm

1228 door
896 door

Hand by hinge.

One appliance behind top and bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6623D
600mm (door-on-door appliances)	IF6623DND
Cabinet without appliance doors	DRIFTOP2ASS
1228 appliance door	DRAHBOT1ASS
896 appliance door	

Tall 70/30 Integrated Housing

Height: 2276mm Depth: 570mm


1228 door 896 door

Hand by hinge.

For use with NEFF, Bosch and Siemens appliances only (appliance sits higher to allow it to align with doors).

One appliance behind top and bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6623G
600mm (door-on-door appliances)	IF6623GND
Cabinet without appliance doors	DRIFTOP2GASS
1228 appliance door	DRAHBOT1GASS
896 appliance door	

Tall 50/50 Integrated Housing


Height: 2276mm
Depth: 570mm

1106 door
1018 door

Hand by hinge.

One appliance behind top and bottom door.

Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6623J
600mm (door-on-door appliances)	IF6623JND
Cabinet without appliance doors	DRIFTOP6ASS
1106 appliance door	DRIFBOT4ASS
1018 appliance door	

Tall 70/30 Integrated Housing


Height: 2276mm Depth: 570mm

296 flap
1106 door
720 door

Hand by hinge.

One appliance behind top and bottom door.


Check fridge freezer specification. Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6623K
600mm (door-on-door appliances)	IF6623KND
Cabinet without appliance doors	DRIFTOP6ASS
1106 appliance door	DRFH6ASS
720 appliance door	

CABINETS INTEGRATED APPLIANCE DOORS & COOKER HOOD DOORS

450w Slimline Dishwasher
Door (drilled)
IDFD45ASS to be joined on site.



Height	Code
720mm Door	DRDW45ASS
557mm Door	IDFD45ASS
159mm Drawer and Joining Plates	

500w Slimline Dishwasher
Door (drilled)
DRDW5ASS to be joined on site.



Height	Code
720mm Door	DRFH5ASS
557mm Door	DRDW5ASS
159mm Drawer and Joining Plates	


600w Integrated Appliance
Door (undrilled)
IDFD2ASS to be joined on site.



Height	Code
720mm Door for Integrated Appliance	DRFH6UDASS
557mm Door for Semi-Integrated Appliances	DRDL6UDASS
557mm Door 159mm Door, Drawer and Joining Plates	IDFD2ASS

Integrated Cooker Hood Door


Height: 450mm
Inset handles available in
selected ranges.
See page 17.
British Standard BS6172
recommended hob
clearance heights are
650mm for electric
and 750mm for gas hobs
in the absence of
manufacturers instructions.
Check specific appliance
instructions for actual
dimensions required.



Width	Code
600mm	DRICASS
600mm with Inset Handle	DRICIN

Integrated Cooker Hood Door

Height: 560mm
Inset handles available in
selected ranges.
See page 17.
British Standard BS6172
recommended hob
clearance heights are
650mm for electric
and 750mm for gas hobs
in the absence of
manufacturers instructions.
Check specific appliance
instructions for actual
dimensions required.




Width	Code
600mm	DRIC56ASS
600mm with Inset Handle	DRIC56IN

CABINETS

MID HEIGHT CABINETS

Four Drawer Pack


Height: 1381mm
Depth: 570mm
120 fascia
276 drawer (x4)
18mm Excel Cabinets only.
Not available in Inline.



Width	Code
600mm	PD66D4

Single Oven Housing


Height: 1381mm
Depth: 570mm
595 aperture
557 door
Hand by hinge.
18mm Excel Cabinets only.
Not available in Inline.



Width	Code
600mm	SOH6613

Single Oven/Microwave Housing


Height: 1381mm
Depth: 570mm
72 fascia
422 aperture
72 fascia
595 aperture
120 fascia
18mm Excel Cabinets only.
Not available in Inline.



Width	Code
600mm	SOH6613A

Double Oven Housing


Height: 1381mm
Depth: 570mm
47 fascia
885 aperture
296 drawer
18mm Excel Cabinets only.
Not available in Inline.



Width	Code
600mm	DOH6613

Fridge Housing


Height: 1381mm
Depth: 570mm
930 door
296 drawer
Hand by hinge.
18mm Excel Cabinets only.
Not available in Inline.
Check fridge freezer specification.
Frontals are hinged to cabinets designed for slider fixing appliances. Appliance frontals are supplied separately to the cabinet for door-on-door appliances.



Width	Code
600mm (slider fixing appliances)	IF6613
600mm (door-on-door appliances)	IF6613ND
Cabinet without appliance doors	DRIFBOT1ASS
930 appliance door	

Microwave Oven Housing


Height: 1381mm
Depth: 570mm
47 fascia
450 aperture
159 drawer
276 drawer (x2)
18mm Excel Cabinets only.
Not available in Inline.



Width	Code
600mm	MOH6613D3

Larder Cabinet

Height: 1381mm
Depth: 570mm
1228 door
Three shelves.
Hand by hinge.
18mm Excel Cabinets only.
Not available in Inline.



Width	Code
500mm	LU5613
600mm	LU6613

CABINETS

TALL WORKTOP DRESSER CABINETS

Glazed Dresser Cabinet with Three Spice Drawers

Height: 1190mm
Depth: 285mm


Three glass shelves.

See page 17 for ranged glazed door availability.

WDU512SL to be ordered for all other ranges.

18mm Excel Cabinets only.

Not available in Inline.



Width	Code
500mm (ranged)	WDU512
500mm (stainless steel)	WDU512SL

Glazed Dresser Cabinet with Single Spice Drawer

Height: 1190mm
Depth: 285mm


Three glass shelves.

See page 17 for ranged glazed door availability.

WDU512BSL to be ordered for all other ranges.

18mm Excel Cabinets only.

Not available in Inline.



Width	Code
500mm (ranged)	WDU512B
500mm (stainless steel)	WDU512BSL

Tall Glazed Dresser Cabinet with Three Spice Drawers

Height: 1366mm
Depth: 285mm

Three glass shelves.

See page 17 for ranged glazed door availability.

WDU513ASL to be ordered for all other ranges.

18mm Excel Cabinets only.

Not available in Inline.



Width	Code
500mm (ranged)	WDU513A
500mm (stainless steel)	WDU513ASL

Tall Glazed Dresser Cabinet with Single Spice Drawer

Height: 1366mm
Depth: 285mm


Three glass shelves.

See page 17 for ranged glazed door availability.

WDU513BSL to be ordered for all other ranges.

18mm Excel Cabinets only.

Not available in Inline.



Width	Code
500mm (ranged)	WDU513B
500mm (stainless steel)	WDU513BSL

RECOMMENDED BLENDER PANELS, FILLER PANELS & PLINTHS

Three specifications of panels are available. Choose a C, R or F on the end of the code to ensure the panels co-ordinate with either the cabinet, replacement end or frontal throughout the kitchen.

SPEC LEVEL	FILLER PANEL	WALL BLENDER	BASE BLENDER	TALL BLENDER	SHELVING	BREAKFAST BAR PANEL	BREAKFAST BAR PANEL	PLINTH (INC SEAL)
DIMENSIONS	970x352x18mm	970x352x18mm	920x650x18mm	2400x750x18mm	2600x352x18mm	920x900x18mm*	920x1800x18mm	2600x142mm (minimum size)
STANDARD	BWU390C	BWU390C	BBU6592C	BLU7523C	SHPANEL24C		BBBP1892C	CONPLINTHC
REPLACEMENT ENDS	BWU390R	BWU390R	BBU6592R	BLU7523R	SHPANEL24R	BBBP992R	BBBP1892R	CONPLINTHR
FRONTAL CO-ORDINATED	BWU390F	BWU390F	BBU6592F	BLU7523F	SHPANEL24F	BBBP992F	BBBP1892F	CONPLINTHF

Cabinet colour panels are matt MFC material. Panels that match replacement ends will be a combination of cabinet and frontal co-ordinating panels.

Note:

Alta and Inline Select Gloss Mussel and Gloss Pure White have 350mm deep filler, wall and shelving panels.

All Boston and Salerno panels are 22mm (except Breakfast Bar panels) and the shelving panels are 2400mm.

* 900mm Breakfast bars are available in selected ranges. An 1800mm panel and edging tape will be supplied for any range that has a Cabinet Matched panel specification on p49 and for Austin, Colorado, Hacienda, Kansas, Minnesota, Newport, Oakham, Plaza Mussel and Plaza Stone.

RANGE PANEL SPECIFICATION

Standard 'C' panels and CPOSTPNL72/90 corner post panels are matt MFC material and will match the selected cabinet colour.

Frontal co-ordinated 'F' panels and replacement end 'R' panels are a combination of frontal material and cabinet material as detailed below.

RANGE	COLOUR	FINISH
ALTA MUSSEL	Mussel	Gloss Painted
ALTA PURE WHITE	White	Gloss Painted
AUSTIN*	Painted Ivory (F)	Painted (Planked/Plain) Shelving panels (Plain/ Plain)
	Cabinet Matched (R)	Matt MFC
BOSTON IVORY	Ivory	Gloss PVC Wrapped
BOSTON WHITE	White	Gloss PVC Wrapped
CALGARY WHITE	Cabinet Matched	Matt MFC
COLORADO	Dark Oak	Textured Matt MFC
CRANBROOK IVORY*	Ivory (F)	PVC Wrapped
	Cabinet Matched (R)	Matt MFC
CRANBROOK PLATINUM	Platinum	PVC Wrapped
CRANBROOK SAGE	Sage	PVC Wrapped
CRANBROOK STONE	Stone	PVC Wrapped
GEORGIA OAK	Cabinet Matched	Matt MFC
GEORGIA WALNUT	Cabinet Matched	Matt MFC
HACIENDA CHAMPAGNE	Avola Champagne	Matt MFC
HACIENDA IVORY	Avola Ivory	Matt MFC
HACIENDA WHITE ASH	Avola White Ash	Matt MFC
KANSAS	Light Ash	Textured Matt MFC
MEDFORD	Cabinet Matched	Matt MFC
MINNESOTA	Avola Grey	Textured Matt MFC
NEWPORT*	Ivory (F)	Matt PVC (Plinth MFC)
	Cabinet Matched (R)	Matt MFC
NEW YORK CASHMERE	Cashmere	Gloss Painted
NEW YORK IVORY	Ivory	Gloss Painted

RANGE	COLOUR	FINISH
NEW YORK WHITE	White	Gloss Painted
OAKHAM*	Blonde Oak (F)	Veneered (Planked/Plain) Shelving panels (Plain/ Plain)
	Cabinet Matched (R)	Matt MFC
OREGON GREY	Cabinet Matched	Matt MFC
OREGON CREAM	Cabinet Matched	Matt MFC
OREGON WHITE	Cabinet Matched	Matt MFC
ORLANDO DAKAR	Dakar	Gloss Acrylic
ORLANDO GREY	Grey	Gloss Acrylic
ORLANDO WHITE	White	Gloss Painted
PLAZA CASHMERE	Cashmere	Matt MFC Grained
PLAZA MUSSEL	Mussel	Matt MFC Grained
PLAZA PORCELAIN	Porcelain	Matt MFC Grained
PLAZA STONE	Stone	Matt MFC Grained
SALERNO IVORY	Ivory	Gloss PVC Wrapped
SALERNO WHITE	White	Gloss PVC Wrapped
VIRGINIA OAK	Cabinet Matched	Matt MFC
VIRGINIA WALNUT	Cabinet Matched	Matt MFC
WESTPORT IVORY	Ivory	Matt Lacquered MFC
WESTPORT WHITE	White	Matt Lacquered MFC
WOODBURY ANTHRACITE	Anthracite	Gloss Painted
WOODBURY BASALT	Basalt	Gloss Painted
WOODBURY CASHMERE	Cashmere	Gloss Painted
WOODBURY IVORY	Ivory	Gloss Painted
WOODBURY WHITE	White	Gloss Painted

*Colour/Finish is different between F and R codes as detailed.

RANGE PANEL SPECIFICATION

RANGE	COLOUR	FINISH
INLINE SELECT	Gloss Mussel	Gloss Painted
INLINE SELECT	Gloss Pure White	Gloss Painted
INLINE TREND	Gloss Ice Anthracite	Gloss Painted
INLINE TREND	Gloss Ice Basalt	Gloss Painted
INLINE TREND	Gloss Ice Cashmere	Gloss Painted
INLINE TREND	Gloss Ice Ivory	Gloss Painted
INLINE TREND	Gloss Ice White	Gloss Painted
INLINE TREND	Gloss Diamond Dakar	Gloss Acrylic
INLINE TREND	Gloss Diamond Grey	Gloss Acrylic
INLINE TREND	Gloss Diamond White	Gloss Painted
INLINE TREND	Ivory	Matt Lacquered MFC
INLINE TREND	White	Matt Lacquered MFC
INLINE FORM	Matt Avola Champagne	Matt MFC
INLINE FORM	Matt Avola Grey	Textured Matt MFC
INLINE FORM	Matt Avola Ivory	Matt MFC
INLINE FORM	Matt Avola White Ash	Matt MFC
INLINE FORM	Matt Cashmere Textured	Matt MFC Grained
INLINE FORM	Matt Dark Oak Textured	Textured Matt MFC
INLINE FORM	Matt Light Ash Textured	Textured Matt MFC
INLINE FORM	Matt Mussel Textured	Matt MFC Grained
INLINE FORM	Matt Porcelain Textured	Matt MFC Grained
INLINE FORM	Matt Stone Textured	Matt MFC Grained
INLINE FORM	Matt White	Matt MFC

RECOMMENDED PILASTERS



STAINLESS STEEL PILASTER

	All Ranges
PIL1087SL 870MM	Stainless Steel



COLLARED PILASTER

	Edmonton	Newport
CPIL1010 100x1046mm	Ivory	Ivory
CPIL1023 100x2276mm		
CPIL1013 100x1366mm		



CHUNKY PILASTER

	Austin
CHPIL1010 100x900mm	Painted Ivory
CHPIL1023 100x2276mm	
CHPIL1013 100x1366mm	

RECOMMENDED CORNICE, PELMET & DECORATIVE PLINTH

GENERIC CORNICE AND PELMET CODES

Generic codes are available that will allocate the recommended cornice or pelmet style automatically to each range.

	Frontal co-ordinated	Cabinet matched code
Cornice	CORF*	CORC
Pelmet	PELF*	PELC

* Specifications match the Range Panel Specification on p49, except for Newport and Hacienda which are supplied cabinet matched.

UNIVERSAL CORNICE AND PELMET

DIMENSIONS:
3000mm x 40mm



Alta Mussel	Alta Pure White	Boston Ivory	Boston White	Orlando White	Orlando Dakar
CORPEL30ZZ Gloss Mussel	CORPEL30ZZ Gloss White	CORPEL30ZZ Gloss Ivory	CORPEL30ZZ Gloss White	CORPEL30ZZ Gloss White	CORPEL30ZZ Gloss Dakar

Orlando Grey	Salerno Ivory	Salerno White	Westport Ivory	Westport White	Woodbury Anthracite
CORPEL30ZZ Gloss Grey	CORPEL30ZZ Gloss Ivory	CORPEL30ZZ Gloss White	CORPEL30WS Painted Ivory	CORPEL30WS Painted White	CORPEL30ZZ Gloss Anthracite

Woodbury Basalt	Woodbury Cashmere	Woodbury Ivory	Woodbury White	Cabinet Matched (Available in all ranges)
CORPEL30ZZ Gloss Basalt	CORPEL30ZZ Gloss Cashmere	CORPEL30ZZ Gloss Ivory	CORPEL30ZZ Gloss White	CORPEL30 Ivory, Oak, Pear, Walnut, White

Cabinet matched specification - CORPEL30 available for all ranges.
Frontal co-ordinated specification - CORPEL supplied as detailed.

MODERN TANGENT MDF CORNICE AND PELMET

DIMENSIONS:
3000mm x 45mm



DIMENSIONS:
3000mm x 55mm



Calgary White	Cranbrook Ivory	Cranbrook Platinum	Cranbrook Sage	Cranbrook Stone	Georgia Oak
CORT30P/UPST30P White	CORT30V/UPST30V Ivory	CORT30V/UPST30V Platinum	CORT30V/UPST30V Sage	CORT30V/UPST30V Stone	CORT30P/UPST30P Oak

Georgia Walnut	Newport	Oakham	Salerno Ivory	Salerno White
CORT30P/UPST30P Walnut	CORT30P/UPST30P Ivory	CORT30P/UPST30P Oak	COR30P/UPS30P Gloss Ivory*	COR30P/UPS30P Gloss White*

* Medium gloss MFC finish. These items complement but do not match high gloss front of Salerno doors. Profile is Modern Tangent.

RECOMMENDED CORNICE, PELMET AND DECORATIVE PLINTH

TRADITIONAL MDF CORNICE AND PELMET

DIMENSIONS:
3000mm x 55mm



DIMENSIONS:
3000mm x 55mm



Newport	Oakham
COR30P / UPS30P Ivory	CORT30P/UPST30P Oak

MODERN TANGENT VENEERED CORNICE AND PELMET

DIMENSIONS:
3000mm x 45mm



DIMENSIONS:
3000mm x 55mm



Austin	Oakham
CORT30V/ UPST30V Painted Ivory	CORT30V/ UPST30V Oak

SQUARE UNIVERSAL CORNICE AND PELMET*

DIMENSIONS:
2800mm x 38mm



Colorado	Kansas	Minnesota	Plaza Cashmere	Plaza Mussel	Plaza Porcelain
CORPEL30F Dark Oak	CORPEL30F Light Ash	CORPEL30F Avola Grey	CORPEL30F Matt Cashmere	CORPEL30F Matt Mussel	CORPEL30F Matt Porcelain

Plaza Stone
CORPEL30F Matt Stone

DECORATIVE PLINTH

DIMENSIONS:
3000mm x 146mm


Austin	Oakham	Aluminium Effect Plinth
DECPLINTH30 Painted Ivory	DECPLINTH30 Oak	DECPLINTH3AU Aluminium Effect

FINISHING TOUCHES

SPICE DRAWERS AND SHELVES

Spice Drawer


Set of three for 500mm dresser cabinets.
Beech drawer. Frontal available in melamine cabinet colours.



	Code
Beech	SPICE5

Spice Drawer

Single for 500mm dresser cabinets.
Beech drawer with ranged drawer front.



	Code
Beech	SPICE1

Spice Drawer

For 150mm wide Spice/Wine Rack Cabinets.
Beech drawer. Frontal available in melamine cabinet colours.



	Code
Beech	SPICE15

Floating Shelves

Shelf pre-routed to accept the supplied concealed shelf support brackets. 10KG per shelf weight limit. Wall should be reinforced to support the shelves.



Width	Code
600 x 300 x 38mm	FLSH6
900 x 300 x 38mm	FLSH9

Shelving Panel

Available in melamine cabinet colours.



Dimensions	Code
2600x352x18mm	SHPANEL2618C

Shelf Bracket

Height: 121mm
Depth: 108mm
Width: 32mm
Adjustable. Max shelf thickness 30mm. Use one bracket every 600mm.



Code	
BRKDECSH	

Arrow Shelf Bracket

Height: 108mm
Depth: 180mm
Width: 18mm
Adjustable. Max 40mm shelf thickness.
Use one bracket every 600mm.




Code	
SHELFBRKSS	

FINISHING TOUCHES

FILLER PANELS, INTERNAL BASE PANELS, PLINTHS & ACCESSORIES

MFC Back Panel

Available in melamine cabinet colours.
MFCBP1287P has a white reverse.



Dimensions	Code
1800x920mm 18mm Thick	BBBP1892C
650x920mm 18mm Thick	BBU6592C
1200x870mm 15mm Thick	MFCBP1287P

MFC Panels


Available in melamine cabinet colours.



Dimensions	Code
650x920mm 18mm Thick	BBU6592C
2400x750mm 18mm Thick	BLU7523C
720x300mm x 15mm Thick	BSP372P
970x352mm x 18mm Thick	BWU390C

40mm PVC-edged Square Cut Cabinet Blender


Available in melamine cabinet colours
Laminated two sides, edged on four sides.



Dimensions	Code
650x900mm	CMB406590
900x900mm	CMB400990
150x2700mm	CMB402715
350x1000mm	CMB401035
350x2700mm	CMB402735
650x2700mm	CMB402765

Tray Space


Available in melamine cabinet colours.



Width	Code
300mm x 570mm x 15mm Thick	TSP3X6P

Plinth


Available in melamine cabinet colours.



Length x Height	Code
2600x200mm	CONPLINT262C
2600x146mm	CONPLINTHC
650x200mm	RETPLINTH652

Plinth Connector

Pair.
Available in melamine cabinet colours.




Height	Code
146mm	BRKPLINTH
200mm	BRKPLINTH200

Plinth Seal

Length: 2600mm
Included in CONPLINTHC/R/F codes.

CONPLINTHS for use with cabinet matched CONPLINTH and CONPLINTH262.

PLINTHS18 for use with frontal matched plinths, DECPLINTH30 and DECPLINTH3AU.



Width	Code
15mm	CONPLINTHS
18mm	PLINTHS18

Edging Tape

Size is range specific.



Code
EDGESTRIPF (Frontal Co-ordinated)
EDGESTRIPR (Replacement End Co-ordinated)
EDGESTRIPC (Cabinet Matched)

Edging Tape

EDGSTRIPI14 available in Austin, Boston, Cranbrook, Orlando and Salerno.

EDGSTRIPI2210 available in Cabinet colours.

EDGSTRIPI221F available in Colorado, Hacienda, Kansas, Minnesota and Plaza.

EDGSTRIPI24 available in Alta, New York and Woodbury.




Width	Code
1.4m (22mm)	EDGSTRIPI14
10m (22mm)	EDGSTRIPI2210
10m (22mm)	EDGSTRIPI221F
2.4m (25mm)	EDGSTRIPI24

FINISHING TOUCHES

GLASS SHELVING. GLASS & LAMINATE SPLASHBACKS & UPSTANDS.

Frosted Glass Shelf


Depth: 247mm



Width	Code
600mm	GLSHELF6F
800mm	GLSHELF8F
1000mm	GLSHELF10F

Glass Shelf Deco Bracket


For use with Frosted Glass Shelves



Code
BRKDEGLSH

Illuminated Aluminium Glass Shelf

Depth: 200mm



Width	Code
600mm	IGLSHELF6AU

Coloured Glass Splashback

Height: 750mm

Toughened glass. Cannot be cut.
See page 17 of General Information for colour options.



Width	Code
595mm	GLSPLASH675
795mm	GLSPLASH875
895mm	GLSPLASH975

Coloured Glass Upstand

Height: 140mm

Pack of two.

Non-toughened glass. Can be cut.

See page 17 of General Information for colour options.



Width	Code
1000mm	GLUP1014

Stainless Steel Splashback

Height: 750mm

Thickness: 1mm

Supplied with optional 6mm back board to align with tiling.



Width	Code
600mm	SBACK675
700mm	SBACK775
900mm	SBACK975

Stainless Steel Splashback

Height: 750mm

Thickness: 15mm



Width	Code
600mm	EFB675X
900mm	EFB975X

Laminate Worktop Splashback

Thickness: 9mm

Available in all 40mm and 22mm laminate worktops.

See pages 20-21 for colour options.

750mm high splashbacks for use behind hobs.



Width	Code
22mm Worktop Finishes	
3000x600mm	WT22SB30X6
600x750mm	WT22SB60X75
40mm Worktop Finishes	
3000x600mm	WTSB30X6
600x750mm	WTSB60X75

Laminate Splashback Accessories

Available in Black or Silver.

Compatible with all 22mm and 40mm laminate splashback finishes.

	Code
End Cap	WTSBACKEND
Butt Joint	WTSBACKBUT
Corner Joint	WTSBACKCNR

Postformed Worktop Upstand

Depth: 12mm

See page 20-21 for colour options.

Available in all 40mm and 22mm laminate worktop finishes.



Dimensions	Code
22mm Worktop Finishes	
95x3000mm	PF22UP3095
145x3000mm	PF22UP30145
40mm Worktop Finishes	
95x3000mm	PFUP3095
145x3000mm	PFUP301452

Worktop Edging




Length	Code
3m 40mm standard and premium laminate	WTEDG4
3m 22mm PVC	EDGSTIP30
4.5m 40mm standard PVC	EDGSTIP45

FINISHING TOUCHES

WORKTOPS, WORKTOP BLENDERS & WORKTOP ACCESSORIES

Bullnose Worktops

See page 20 for colour options.



Dimensions	Code
Height 40mm Depth: up to 600mm Max Length: 4060mm	PF40
Height 40mm Depth: 601-900mm Max Length: 3550mm	PF40

Double Bullnose Worktops


See page 20 for colour options.



Dimensions	Code
Height 40mm Depth: 655mm Max Length: 4060mm	DP40
Height 40mm Depth: 900mm Max Length: 3600mm	DP40

PVC Edged Worktops


See page 20 for colour options.



Dimensions	Code
Height 40mm Depth: up to 600mm Max Length: 4020mm	PV40
Height 40mm Depth: 601-900mm Max Length: 3550mm	PV40

Double PVC Edged Worktops

See page 20 for colour options.



Dimensions	Code
Height 40mm Depth: up to 600mm Max Length: 4020mm	DV40
Height 40mm Depth: 601-900mm Max Length: 3550mm	DV40

40mm PVC-edged Square Cut Worktop Blender

Laminated two sides, edged on four sides.

See page 20 of General Information for colour options.

Available in 40mm standard worktops only.


Not available in 40mm premium laminate worktops.



Dimensions	Code
650x900mm	CVB406590
900x900mm	CVB400990
150x3000mm	CVB403015
350x1000mm	CVB401035
350x3000mm	CVB403035
650x3000mm	CVB403065

Premium Worktops with 3mm Radius Edge


See page 21 for colour options.



Dimensions	Code
Height 40mm Depth: up to 600mm Max Length: 3550mm	PR40
Height 40mm Depth: up to 870mm Max Length: 3550mm	PR40

Double Premium Worktops with 3mm Radius Edge

See page 21 for colour options.



Dimensions	Code
Height 40mm Depth: 900mm Max Length: 3600mm	DR40

22mm PVC-edged Worktops

See page 21 for colour options.

22mm laminate worktops with 1mm PVC edging. Laminated both sides.



Dimensions	Code
Height 22mm Depth: up to 900mm Max Length: 3000mm	PV22

22mm Double PVC-edged Worktops

See page 21 for colour options.

22mm laminate worktops with 1mm PVC edging. Laminated both sides.



Dimensions	Code
Height 22mm Depth: up to 900mm Max Length: 3000mm	DV22

22mm PVC-edged Worktop Blenders

Available in 22mm worktops only.

See page 21 for colour options.


22mm laminate worktops with 1mm PVC edging. Laminated both sides.



Dimensions	Code
920x650mm	CVB226592
970x352mm	CVB223597
2400x750mm	CVB227524
920x900mm	CVB22992
900x1200mm	CVB221292
900x1800mm	CVB221892
900x2400mm	CVB222492
2400x352mm	CVB222435
2400x150mm	CVB222415


Mason Mitre Worktop Connecting Bolt Pack

Pack of 3.



Dimensions	Code
40mm worktops	MASONPACK
22mm worktops	WTCONBOLT22

Bullnose Worktop End Caps and Joint Strips



Dimensions	Code
40mm T-section (Aluminium, Black, Brown)	STRIPALT4010
40mm L-shape (Aluminium, Black, Brown)	STRIPALP4010
40mm End Cap (Aluminium, Black, Brown)	STRIPALS4010
40mm PVC Worktop End Cap (Aluminium)	STRIPALP4064

FINISHING TOUCHES


WORKTOP ACCESSORIES

22mm Worktop Blanco Sink Clips
To replace standard sink clips.
Pack of 10.



Code
BL453648

Angled Breakfast Bar Leg
Light Grey
Max weight 150KG. With solid surface worktops use one leg per m2 worktop overhang.



Code
LEGBARANGLE

Breakfast Bar Chrome Leg
60mm Diameter.
870mm High.




Code
LEGBARCX

Breakfast Bar White Leg
60mm Diameter.
870mm High.



Code
LEGBAR

Worktop Mounting Bar




Code
WTMOUNTBAR

FINISHING TOUCHES

DRAWER ACCESSORIES

Supra Drawer Box Cream Cutlery Tray



Width	Code
400mm 3 compartments	CTRAYSUPR4V
450mm 4 compartments	CTRAYSUPR45V
500mm 4 compartments	CTRAYSUPR5V
600mm 5 compartments	CTRAYSUPR6V

Revo Drawer Box Metallic Cutlery Tray


For use with 800mm, 900 or 1000mm wide three drawer cabinet and two drawer cabinet with internal top drawer.



Width	Code
800mm 7 compartments	CTRAYGALL8V
900mm 8 compartments	CTRAYGALL9V
1000mm 9 compartments	CTRAYGALL10V

Revo Drawer Box Metallic Cutlery Tray


For use with internal drawer units.



Width	Code
400mm (For use with BU456F4ID)	CTRAYG4VINT
450mm (For use with BU56F4ID & BU56F3IDC)	CTRAYG45VINT
550mm (For use with BU66F4ID & BU66F3IDC)	CTRAYG55VINT
600mm (For use with BU66F2ID)	CTRAYG6VINT

Aluminium Cutlery Tray


For use with 800, 900 or 1000mm wide three drawer cabinet and two drawer cabinet with internal top drawer.



Width	Code
800mm	CTRAYGALL8M
900mm	CTRAYGALL9M
1000mm	CTRAYGALL10M

Aluminium Cutlery Tray

For use with internal drawer units.




Width	Code
400mm (For use with BU456F4ID)	CTRAYG4MINT
450mm (For use with BU56F4ID & BU56F3IDC)	CTRAYG45MINT
600mm (For use with BU66F2ID)	CTRAYG6MINT

Luxury Beech Cutlery Tray

For use with Revo internal drawer only.

800mm for use with Revo 800mm wide three drawer cabinet and two drawer cabinet with internal top drawer.


Special order item. Allow 4-6 weeks for delivery.



Width	Code
500mm	CTRAY5PK
600mm	CTRAY6PK
800mm	CTRAY8PK

Internal Drawer for Cupboards and Larders


Additional Revo internal drawer.



Width	Code
300mm	IDWBU3
400mm	IDWBU4
450mm	IDWBU45
500mm	IDWBU5
600mm	IDWBU6

Internal Deep Drawer for Cupboards and Larders


Additional Revo internal drawer.



Width	Code
300mm	IDDWBU36
400mm	IDDWBU46
450mm	IDDWBU456
500mm	IDDWBU56
600mm	IDDWBU66

Internal Drawer for Two Pan Drawers

Additional Revo internal drawer.



Width	Code
800mm	IDWPD8
900mm	IDWPD9

FINISHING TOUCHES


DRAWER ACCESSORIES

500mm Beech Utensil Tray

For use with 800mm, 900 or 1000mm wide three drawer cabinet and two drawer cabinet with internal top drawer.

Contents: Bottle Opener, Can Opener, Corkscrew, Fruit Baller, Garlic Press, Ice Cream Scoop, Lemon Zester, Pastry Cutter, Potato Peeler.

Special order item. Allow 4-6 weeks for delivery.




Width	Code
500mm	UTRAY5

600mm Beech Utensil Tray

For use with 800mm, 900 or 1000mm wide three drawer cabinet and two drawer cabinet with internal top drawer.

Contents: Bottle Opener, Can Opener, Cheese Grater, Cheese Slice, Corkscrew, Fruit Baller, Garlic Press, Ice Cream Scoop, Pastry Cutter, Pizza Cutter, Potato Fork, Potato Peeler.

Special order item. Allow 4-6 weeks for delivery.




Width	Code
600mm	UTRAY6

800mm Beech Utensil Tray

For use with 800mm, 900 or 1000mm wide three drawer cabinet and two drawer cabinet with internal top drawer.

Contents: Apple Corer, Bottle Opener, Cake Server, Can Opener, Cheese Grater, Cheese Slice, Corkscrew, Fruit Baller, Garlic Press, Ice Cream Scoop, Lemon Zester, Mezzaluna.


Special order item. Allow 4-6 weeks for delivery.



Width	Code
800mm	UTRAY8

Drawer Mat


For use with Revo internal and deep pan drawers only.



Width	Code
300mm	DWMAT3
400mm	DWMAT4
450mm	DWMAT45
500mm	DWMAT5
550mm	DWMAT5
600mm	DWMAT6
800mm	DWMAT8
900mm	DWMAT9
1000mm	DWMAT10

Pan Drawer Divider Kit

For use with Revo deep pan drawers only.




Width	Code
800mm	DWDIVGALL8

Beech Plate Stack

For use with Revo deep pan drawers only.

Contents: 8 Wooden Dowels and 1 Base Board for up to 900mm (W). 10 Wooden Dowels and 1 Base Board for 1000mm (W) only.


Special order item. Allow 4-6 weeks for delivery.



Dimensions	Code
800x276mm	PDPLATESTK8
900x276mm	PDPLATESTK9
1000x276mm	PDPLATESTK10

Aluminium Pan Organiser


For use with Revo deep pan drawers only.



Width	Code
800mm	DW470RG8
900mm	DW470RG9
1000mm	DW470RG10

Orgaflag Drawer Management


For use with Revo deep pan drawers only.



Width	Code
800mm	ORGAFLAG8
900mm	ORGAFLAG9
1000mm	ORGAFLAG10

Orgastore Drawer Management

For use with Revo deep pan drawers only.



Width	Code
800mm	ORGASTORE8
900mm	ORGASTORE9
1000mm	ORGASTORE10

Flip-out Pan Drawer Storage

Pack of two.

Chrome effect plastic.

For use with Revo deep pan drawers only.




Code
ORGAWING

FINISHING TOUCHES

CABINET STORAGE ACCESSORIES

Two Tier Bottle Rack



Height x Width x Depth	Code
400x382x100mm	DOORBASKTCH


Single Tier Bottle Rack



Height x Width x Depth	Code
100x382x100mm	DOORBASKSCH

Chrome Wine Rack Shelf


Open display units only.



Width	Code
300mm Cabinet	WRSHELF3CX
500mm Cabinet	WRSHELF5CX

Wine Glass Rack
(Two Columns)


Min 300mm Wall Cabinet.



Code
GLASSCOL2

Chrome Pull-out Larder Baskets

300mm Larder Cabinets only.




Code
PLUBASKCX

Angled Chrome Pull-out Basket

45° Base Cabinet only.

Pack consists of runner, brackets and two baskets.
Please state handing when ordering, left hand shown.




Height x Width	Code
75x470mm	DPLBASK45

½ Carousel Basket

Pair.


For use with 1000mm Corner Base with 500mm door (CB106FA/DA) and 1200mm corner base with 600mm door (CB126FA/DA). Order units separately.
Diameter 850mm.



Code
CAROBASKCH

¾ Chrome Carousel Basket


Diameter 700mm



Code
CAROBASKCX

Chrome Basket with Runners

Depth 450mm




Width	Code
500mm Cabinet	PBASK5CX
600mm Cabinet	PBASK6CX

Le Mans Pull-out for Corner Base Cabinets

Handing required.

For use with 1000mm Corner Base with 500mm Door. To be installed in CB106DA/FA (ordered separately).

For corner cabinet with a door on the left hand side, order left handing, vice versa for right.




Code
LEMANSKU

Magic Corner

Handing required.


To be installed in CB106DA/FA (ordered separately). For corner cabinet with a door on the left hand side, order left handing, vice versa for right.



	Code
Left Hand	MCULCX
Right Hand	MCURCX

Wicker Basket

Pack of 2 comes with Runners



Width	Code
500mm Cabinet	WICKBASK

FINISHING TOUCHES


CABINET STORAGE ACCESSORIES

& WASTE DISPOSAL

iMove Pull Down Basket

For easy access to wall cabinets

724 and 900mm high units only.



Width	Code
500mm	IMOVE5
600mm	IMOVE6

30-Litre Ecobin

Contains three 10 litre bins.


Height - 422mm

Depth - 480mm

Minimum Cabinet:

110° hinge - 300mm cabinet

170° hinge - 400mm cabinet



Code
ECOBIN3X10

40-Litre Ecobin

Contains one 20-Litre and two 10-Litre Bins


Height - 422mm

Depth - 480mm

Minimum Cabinet:

110° hinge - 400mm cabinet

170° hinge - 500mm cabinet



Code
ECOBIN4

60-Litre Ecobin


Contains one 34-Litre and two 17-Litre Bins

Height - 540mm

Depth - 492mm.

Full height units only.

600mm Cabinet.



Code
ECOBIN60L

Deluxe Chrome Swing Bin


Min 400mm Cabinet.

Contains one 12-Litre Bin.

Do not use with 170° hinge.

Height: 280mm.

Diameter 260mm.



Code
SWINGBINCH

Triple Recycling Bin


500mm/600mm Cabinet.

Contains one 19-Litre, one 12-Litre and one 9-Litre Bin.

Do not use with 170° hinge.

Height - 525mm

Depth - 450mm




Code
RECYCLEBIN

FINISHING TOUCHES

FITTINGS

Ventilation Grill
Flow rate: 200cm²




Dimensions	Code
80x550mm	VENTGRILL200

Replacement Leg
Pack of four.

Code
LEG15

Decorative Leg
Pack of four.
Chrome effect plastic.



Height	Code
100mm	ADJCHRLEG


Double Towel Rail



Depth	Code
430mm	METALTRAIL

Sink Cabinet Liner

800, 900 and 1000 sink liners can only be used in corner base units if the centre post is in the middle of the unit.



Width	Code
500mm	SU5LINER
600mm	SU6LINER
800mm	SU8LINER
900mm	SU9LINER
1000mm	SU10LINER
1200mm	SU12LINER

Frontal Connecting Brackets
Pack of two.

Code
BRKLCB

What Lock
Magnetic lock system 2 x locks per pack



Code
MAGLOCK

Baton Support Pack

Backboard support is used to fit wall units flush with adjacent tall units.

Includes a white MFC back panel and two uprights. A frontal matched blender panel should be ordered separately to run underneath the units.

Maximum wall unit run is 2400mm wide.



	Code
560 Wall Units	BACKBAT56
724 Wall Units	BACKBAT72
900 Wall Units	BACKBAT90

Soft Close Hinge Buffers
Clip on hinge buffers.



	Code
110° Hinge (Pack of 5)	SOFTCLOSE5
110° Hinge (x1)	SMOVE1110
170° Hinge (x1)	SOFTCL1170
45° Unit (x1)	FPK903
St. Steel Glazed Units (x1)	SOFTCLOSEGL

LIGHTING

The importance of lighting in completing a welcoming attractive kitchen design cannot be underestimated. A full selection of low energy LED lighting and accessories is available to help you achieve this. The range includes spotlights, flexible strip light, illuminated shelves, sensor switches to turn lights off and on when cupboards open and dimmer controls.



1. LED Strip Lights
Available in 250mm, 330mm and 550mm sizes.



2. HD LED Spot Light
Available in cool or warm white light.



3. HD LED Square Light
Available in cool or warm white light.



4. LED Flat Disc Light
Surface mounted thin 6mm deep light. Available in a warm white light.



5. Plinth Lights
Available in cool or warm white light.



6. Quadra Under Cabinet Light
Available in cool or warm white light and with optional on/off sensor.

FINISHING TOUCHES

POP UP SOCKETS & LIGHTING

Replacement Bulb

For illuminated shelving, see page 56.

Code

REPULB287 (For 600mm IGLSHELF6AU)

REPULB516 (For 1200mm IGLSHELF12AU)

Pop Up Socket

Three plug sockets and two USB ports.

Installation hole 90-92mm.
Supplied with 2.5m long cable.



Code

POPUPSOCKU

EVoline® Pop Up Socket

Three plug sockets and two USB ports.

Premium flush finished stainless steel top.

Installation hole 102mm.
Supplied with 3m long cable.



Code

POPUPSOCKUSS

LED Plinth Lights

Four lights/
1.5m cable.

Driver included – maximum allowance of 4w (x22 lights).

Not suitable in front of appliances.



Wattage

Code

0.72w Cool White

LEDSQPLINTCW

0.72w Warm White

LEDSQPLINTWW

LED Pan Drawer Light

12V, order driver(s) separately
POWDRIVE15.



Width

Wattage

Code

800mm

4.5w

PDLIGHT8

900mm

5.4w

PDLIGHT9

1000mm

5.4w

PDLIGHT10

12v/15w Pan Drawer Light Driver

Combined wattage of connected lights must not exceed driver wattage.

Code

POWDRIVE15

HD Spotlight

Surface mounted or recessed.

Order driver separately
LEDHDTFORM6.

Supplied with 2.5m cable.



Wattage

Code

1.65w Cool White

LEDSURFHD

1.65w Warm White

LEDSURFHDWW

HD Square Light

Surface mounted.

Order driver separately
LEDHDTFORM6.

Supplied with 2.5m cable.



Wattage

Code

1.8w Cool White

LEDSQSURFHD

1.8w Warm White

LEDSQSURHDWW

HD 24v Driver

Six connections.

Combined wattage of connected lights must not exceed driver wattage.

Supplied with 1.5m driver connection cable.



Wattage

Code

15w

LEDHDTFORM6

LED Flat Disc Light

Surface mounted thin
6mm deep light.

Cable length 1.5m

Order driver separately
LEDTFORMER6.



Wattage

Code

1.5w Warm White

LEDFLATDWW

LED Orbit Bright Tilt Light

Order driver separately
LEDTFORMER6.

Supplied with 1.5m cable.



Wattage

Code

3w Cool White

LEDORBITCW

3w Warm White

LEDORBITWW

12v/15w Driver

Six power ports.

Combined wattage of connected lights must not exceed driver wattage.



Code

LEDTFORMER6

FINISHING TOUCHES

LIGHTING

HD Delta Light

Order driver separately
LEDHDTFORM6 or upgrade to
LEDHDDIMMER.

Supplied with 2.5m cable.



Wattage

Code

1.65w Cool White

LEDELTAHD

1.65w Warm White

LEDELTAHDWW

HD Delta Light

With on/off touch sensor.

Can switch up to two
non-sensor HD lights.

Order driver separately
LEDHDTFORM6.

Supplied with 2.5m cable.



Wattage

Code

2.15w Cool White

LEDELTAHDS

2.15w Warm White

LEDELTHDSWW

HD 24v Driver

Six connections.

Combined wattage
of connected lights
must not exceed
driver wattage.

Supplied with 1.5m driver
connection cable.




Wattage

Code

15w

LEDHDTFORM6




FINISHING TOUCHES LIGHTING

GX53 LED Triangle Light

Surface Mounted.

Driver not required.
Connect directly to mains.

Up to 6 lights can be connected together using a distributor block and plug (DISTRIBGX53).



Wattage	Code
240V/3w Cool White	LEDTRICW
240V/3w Warm White	LEDTRIWW

GX53 LED Round Light

Surface mounted or recessed.

Driver not required.
Connect directly to mains.

Up to 6 lights can be connected together using a distributor block and plug (DISTRIBGX53).



Description	Code
240V/3w Cool White	LEDSURFACE
240V/3w Warm White	LEDSURFACEWW

GX53 Accessories

Driver has 6 connections, 1500mm cable and 13A plug for direct mains connection.

Combined wattage of connected lights must not exceed driver wattage.



Description	Code
6 Way GX53 Distributor Block	DISTRIBGX53
Extension Cable (2000mm)	EXTCABGX53

GX53 Accessories



Description	Code
240V/3w Replacement Bulb	LEDREPBULB

LED 24v LED Linkable Strip Light

Can be interlinked to create longer lengths.

Order driver separately LEDHDTFORM6.



Length	Wattage	Code
400mm	4.6w Cool White	LEDLSTRIP4CW
400mm	4.6w Warm White	LEDLSTRIP4WW
600mm	7.1w Cool White	LEDLSTRIP6CW
600mm	7.1w Warm White	LEDLSTRIP6WW

12v/15w Driver

Six power ports.

Combined wattage of connected lights must not exceed driver wattage.



Code
LEDTFORMER6

LED Task Strip Light

Includes 1000mm mains cable and 200mm extension cable.

Driver not required.

Each light can be linked directly together, or with the optional link cable LEDSTRIPCON.




Wattage	Code
240v/2.7w, 250mm	LEDSTRIP25
240v/4.5w, 330mm	LEDSTRIP33
240v/8w, 550mm	LEDSTRIP55

500mm Task Strip Light Link Cable



Code
LEDSTRIPCON

Example 3



FINISHING TOUCHES

LIGHTING

LED Flexible Strip

12v/0.8w.

Order driver separately.

Standard driver

LEDTFRMFXCON.

Can be combined with

LEDSWITCH.

Adhesive backing for

easy installation.



Length	Code
300mm Cool White	LEDFLEXI3WH
300mm Blue	LEDFLEXI3BL
300mm Warm	LEDFLEXI3WW

LED Flexible Strip

12v/5w.

Order driver separately.

Standard driver


LEDTFRMFXCON.

Can be combined with

LEDSWITCH.

Adhesive backing for

easy installation.



Length	Code
2000mm Cool White	LEDFLEXI2MWH
2000mm Blue	LEDFLEXI2MBL
2000mm Warm	LEDFLEXI2MWW

Driver Connection Cable

Included with driver

LEDTFRMFXCON. Order extra

cables to run additional LED

flexible strip lights from

one driver.



Length	Code
2.5m	FLEXICON

Link Cable

Can be used to

connect one uncut

flexible strip light to

another.

Order SE10318MCC

to connect cut

strip lights.



Length	Code
1500mm	FLEXILINK15
500mm	FLEXILINK5
50mm Link/Corner Cable	FLEXILINK50

Flexible Strip Connector

12mm x 8mm.

To connect one off-cut to a

full flexible strip light.



Code
SE10318MCC

12v/15w Driver

and 2.5m Driver

Connection Cable

Six power ports.

Combined wattage

of connected lights


must not exceed

driver wattage.



Code
LEDTFRMFXCON

Example 4



CABINETS

Full Height Base/Sink Cabinet (cabinet only)	
Code	Description
BUC1506F	150mm Base Cabinet
BUC1503F	150mm Base Cabinet Reduced Depth
BUC36F	300mm Base Cabinet
BUC33F	300mm Base Cabinet Reduced Depth
BUC46F	400mm Base Cabinet
BUC43F	400mm Base Cabinet Reduced Depth
BUC456F	450mm Base Cabinet
BUC453F	450mm Base Cabinet Reduced Depth
BUC56F	500mm Base/Sink Cabinet
BUC53F	500mm Base Cabinet Reduced Depth
BUC66F	600mm Base/Sink Cabinet
BUC63F	600mm Base Cabinet Reduced Depth
BUC86F	800mm Base/Sink Cabinet
BUC83F	800mm Base Cabinet Reduced Depth
BUC96F	900mm Base/Sink Cabinet
BUC93F	900mm Base Cabinet Reduced Depth
BUC106F	1000mm Base/Sink Cabinet
BUC103F	1000mm Base Cabinet Reduced Depth
BUC126F	1200mm Base/Sink Cabinet
BSUC66	600mm Belfast Sink Cabinet
CBC86FA/B/C	800mm Corner Base Cabinet
CBC96FA	900mm Corner Base Cabinet
CBC106FA/B/C	1000mm Corner Base Cabinet
CBC126FA/E/F	1200mm Corner Base Cabinet
LCBC99FMAIN LCBC99LEG LPOSTCBU18	930x930 L Shaped Corner Base Cabinet. Supplied in two parts, one part RFA, one part assembled.
KDBUC3645	45 Degree Base End Cabinet

Drawer Line Base/Sink Cabinet (excludes drawer box - cabinet only)	
Code	Description
BUC1506	150mm Base Cabinet
BUC36	300mm Base Cabinet
BUC33D	300mm Base Cabinet Reduced Depth
BUC46	400mm Base Cabinet
BUC43D	400mm Base Cabinet Reduced Depth
BUC456	450mm Base Cabinet
BUC453D	450mm Base Cabinet Reduced Depth
BUC56	500mm Base/Sink Cabinet
BUC53D	500mm Base Cabinet Reduced Depth
BUC66	600mm Base/Sink Cabinet
BUC63D	600mm Base Cabinet Reduced Depth
BUC86	800mm Base/Sink Cabinet
BUC83D	800mm Base Cabinet Reduced Depth
BUC96	900mm Base/Sink Cabinet
CBC93D	900mm Base Cabinet Reduced Depth
BUC106	1000mm Base/Sink Cabinet
CBC103D	1000mm Base Cabinet Reduced Depth
BUC126	1200mm Base/Sink Cabinet
CBC86D	800mm Corner Base Cabinet
CBC96DA	900mm Corner Base Cabinet
CBC106DA/B/C	1000mm Corner Base Cabinet
CBC126DA/E/F	1200mm Corner Base Cabinet
LCBC99DMAIN LCBC99LEG LPOSTCBU18	930x930 L Shaped Corner Base Cabinet. Supplied in two parts, one part RFA, one part assembled.
KDBUC3645	45 Degree Base End Cabinet

Corner Posts 15mm	
Code	Description
RCPOSTBU	Base Unit
RCPOSTSWU56	560 Wall Unit
RCPOSTTWU72	720 Wall Unit

Corner Posts 18mm	
Code	Description
LPOSTCBU18	Base Unit
LPOSTWU7218	720 Wall Unit
LPOSTWU9018	900 Wall Unit

Drawer Line Base Cabinet (excludes drawer box – cabinet only)	
Code	Description
DUC46	400mm Base Cabinet Four Drawer
DUC56	500mm Base Cabinet Four Drawer
DUC66	600mm Base Cabinet Four Drawer
PDC56D2	500mm Base Cabinet Two Drawer
PDC66D2	600mm Base Cabinet Two Drawer
PDC86D2	800mm Base/Sink Cabinet Two Drawer
PDC96D2	900mm Base/Sink Cabinet Two Drawer
PDC56	500mm Base Cabinet Three Drawer
PDC66	600mm Base Cabinet Three Drawer
PDC86	800mm Base/Sink Cabinet Three Drawer
PDC96	900mm Base/Sink Cabinet Three Drawer
PDC106	1000mm Base/Sink Cabinet Three Drawer

Low Wall Cabinet (561mm high - cabinet only)	
Code	Description
WUC356	300mm Wall Cabinet
WUC456	400mm Wall Cabinet
WUC4556	450mm Wall Cabinet
WUC556	500mm Wall Cabinet
WUC656	600mm Wall Cabinet
WUC856	800mm Wall Cabinet
WUC956	900mm Wall Cabinet
WUC1056	1000mm Wall Cabinet
CWUC656/FB	600mm Corner Wall Cabinet
CWUC856FA	800mm Corner Wall Cabinet
CWUC956FC	900mm Corner Wall Cabinet
MWUC656	Microwave Wall Cabinet
GUC456	400mm Glazed Wall Cabinet
GUC556	500mm Glazed Wall Cabinet

Standard Wall Cabinet (724mm high – cabinet only)	
Code	Description
WUC15072	150mm Wall Cabinet
WUC372	300mm Wall Cabinet
WUC472	400mm Wall Cabinet
WUC4572	450mm Wall Cabinet
WUC572	500mm Wall Cabinet
WUC672	600mm Wall Cabinet
WUC872	800mm Wall Cabinet
WUC972	900mm Wall Cabinet
WUC1072	1000mm Wall Cabinet
CWUC672/FB	600mm Corner Wall Cabinet
GUC472	400mm Glazed Wall Cabinet
GUC572	500mm Glazed Wall Cabinet
HFWUC572	500mm Horizontal Bi-fold Cabinet
HFWUC672	600mm Horizontal Bi-fold Cabinet
HFWUC872	800mm Horizontal Bi-fold Cabinet
HFWUC972	900mm Horizontal Bi-fold Cabinet

Tall Wall Cabinet (900mm high – cabinet only)	
Code	Description
WUC390	300mm Wall Cabinet
WUC490	400mm Wall Cabinet
WUC4590	450mm Wall Cabinet
WUC590	500mm Wall Cabinet
WUC690	600mm Wall Cabinet
WUC890	800mm Wall Cabinet
WUC990	900mm Wall Cabinet
WUC1090	1000mm Wall Cabinet
CWUC690/FB	600mm Corner Wall Cabinet
GDUC590	500mm Glazed Wall Cabinet
CWUC890FA	800mm Corner Wall Cabinet
CWUC990FC	900mm Corner Wall Cabinet

Bridging Cabinet (cabinet only)	
Code	Description
OCHC536	500mm Bridging Cabinet (360mm high)
OCHC636	600mm Bridging Cabinet (360mm high)
OCHC836	800mm Bridging Cabinet (360mm high)
OCHC936	900mm Bridging Cabinet (360mm high)
OCHC63	600mm Bridging Cabinet (300mm high)
OCHC1028	1000mm Bridging Cabinet (280mm high)

Larder/Pantry Cabinet (2100mm high - excludes drawer box - cabinet only)	
Code	Description
LUC33	300mm Reduced Depth Larder Cabinet
LUC36	300mm Larder Cabinet
LUC56	500mm Larder Cabinet
LUC66	600mm Larder Cabinet
PUC662ID2	600mm Pantry Cabinet with Two Drawers
PUC662ID3	600mm Pantry Cabinet with Three Drawers
PUC662ID4	600mm Pantry Cabinet with Four Drawers
CNLUC106/C/A	1000mm Corner Cabinet
PUC106	1000mm Pantry Cabinet

Tall Larder Cabinet (2276mm high – cabinet only)	
Code	Description
LUC3623	300mm Reduced Depth Larder Cabinet
LUC3623	300mm Larder Cabinet
LUC5623	500mm Larder Cabinet
LUC6623	600mm Larder Cabinet
CNLUC10623/C/A	1000mm Larder Cabinet
PUC10623	1000mm Corner Pantry Cabinet

Oven Housing (2100mm high – cabinet only)	
Code	Description
BOHC66	Built Under Oven Housing
OHC4A	Single Oven Housing Cabinet (4)
OHC5A	Single Oven Housing Cabinet (5)
OHC6A	Single Oven Housing Cabinet (6)
OHC10*	Single Oven Housing Cabinet (10A and 10E)
OHC3A	Double Oven Housing Cabinet (3)
OHC10*	Double Oven Housing Cabinet (10B)
OHC1A	Single Oven and Microwave/Compact Housing Cabinet (1)
OHC2A	Single Oven and Microwave/Compact Housing Cabinet (2)
OHC7A	Microwave/Compact Appliance Housing Cabinet (7)
OHC10*	Microwave/Compact Appliance Housing Cabinet (10D and 10G)
OHC9A	Compact Appliance Housing Cabinet (9)
OHC10*	Compact Appliance Housing Cabinet (10C and 10F)
OHC8C	Double Oven and Microwave Housing Cabinet (8C)
OFHC66A/ND	Single Oven and Integrated Fridge Housing Cabinet (A)
OFHC66B/ND	Compact Oven and Integrated Fridge Housing Cabinet (B)

*Include style (A-G) when ordering.

Fridge Freezer Cabinet (2100mm high – cabinet only)	
Code	Description
IFUC66A/ND	Integrated Appliance Housing Cabinet (A)
IFUC66B/ND	Integrated Appliance Housing Cabinet (B)
IFUC66C/ND	Integrated Appliance Housing Cabinet (C)
IFUC66D/ND	Integrated Appliance Housing Cabinet (D)
IFUC66G/ND	Integrated Appliance Housing Cabinet (G)

Tall Oven Housing (2276mm high – cabinet only)	
Code	Description
OHC234A	Single Oven Housing Cabinet (4)
OHC235A	Single Oven Housing Cabinet (5)
OHC236A	Single Oven Housing Cabinet (6)
OHC2310*	Single Oven Housing Cabinet (10A and 10E)
OHC233A	Double Oven Housing Cabinet (3)
OHC2310*	Double Oven Housing Cabinet (10B)
OHC231A	Single Oven and Microwave/Compact Housing Cabinet (1)
OHC232A	Single Oven and Microwave/Compact Housing Cabinet (2)
OHC237A	Microwave/Compact Appliance Housing Cabinet (7)
OHC2310*	Microwave/Compact Appliance Housing Cabinet (10D and 10G)
OHC2310*	Compact Appliance Housing Cabinet (10C and 10F)
OFHC6623C/ND	Single Oven and Integrated Fridge Housing
OFHC6623D/ND	Compact Oven and Integrated Fridge Housing

*Include style (A-G) when ordering.

Tall Fridge Freezer Cabinet (2276mm high – cabinet only)	
Code	Description
IFUC6623B/ND	Integrated Appliance Housing Cabinet (B)
IFUC6623C/ND	Integrated Appliance Housing Cabinet (C)
IFUC6623D/ND	Integrated Appliance Housing Cabinet (D)
IFUC6623G/ND	Integrated Appliance Housing Cabinet (G)
IFUC6623J/ND	Integrated Appliance Housing Cabinet (J)
IFUC6623K/ND	Integrated Appliance Housing Cabinet (K)

Mid Height Larder/Oven/Fridge Freezer Cabinet (1381mm high – cabinet only)	
Code	Description
PDC664	600mm Four Drawer Cabinet
SOHC6613	600mm Single Oven Housing Cabinet
SOHC6613A	600mm Single Oven/Microwave Housing Cabinet
DOHC6613	600mm Double Oven Housing Cabinet
AHC6613/ND	600mm Fridge Housing Cabinet
MOHC6613D3	600mm Microwave Oven Housing Cabinet
LUC5613	500mm Larder Cabinet
LUC6613	600mm Larder Cabinet

Boiler Housing (cabinet only)	
Code	Description
KBHC572	500mm Wall (724mm) Boiler Housing Cabinet
KBHC672	600mm Wall (724mm) Boiler Housing Cabinet
KBHC590	500mm Wall (900mm) Boiler Housing Cabinet
KBHC690	600mm Tall Wall (900mm) Boiler Housing Cabinet
KBHC612	Dresser (1190mm) Boiler Housing Cabinet
KBHC613	Dresser (1366mm) Boiler Housing Cabinet
KBHC615	Dresser (1560mm) Boiler Housing Cabinet

Dresser (1190mm high – cabinet only)	
Code	Description
WDUC512	500mm Worktop Dresser Cabinet
WDUSPACER5	10mm Worktop Dresser Spacer Panel

Tall Dresser (1336mm high – cabinet only)	
Code	Description
WDUC513	500mm Worktop Dresser Cabinet
WDUSPACER5	10mm Worktop Dresser Spacer Panel

FRONTALS

	Size	Code
720mm Wall/Full Height Frontal	150mm	KDRFH15
	300mm	KDRFH3
	400mm	KDRFH4
	450mm	KDRFH45
	500mm	KDRFH5
	600mm	KDRFH6
720mm Dummy Drawer and Door For LSB99D	300mm	KDRDDL6CB
	400mm	KDRDDL4CB
896mm Tall Wall Cabinet Frontal	300mm	KDRW63
	400mm	KDRW64
	450mm	KDRW645
	500mm	KDRW65
	600mm	KDRW66
159mm Drawer Frontal	300mm	KDWDF3
	400mm	KDWDF4
	450mm	KDWDF45
	500mm	KDWDF5
	600mm	KDWDF6
	800mm	KDWDF8
	900mm	KDWDF9
	1000mm	KDWDF10
183mm Drawer Frontal	400mm	KDWPF4
	500mm	KDWPF5
	600mm	KDWPF6
557mm Drawer Line	300mm	KDRDL3
	400mm	KDRDL4
	450mm	KDRDL45
	500mm	KDRDL5
	600mm	KDRDL6
	800mm	KDRDL8
	900mm	KDRDL9
	1000mm	KDRDL10
276mm Three Pan Drawer Cabinet Frontal	500mm	KDWDPF5
	600mm	KDWDPF3
	800mm	KDWDPF83
	900mm	KDWDPF93
	1000mm	KDWDPF103
358mm Two Pan Drawer and Bi-fold Bottom Frontal	500mm	KDROCH536B
	600mm	KDROCH636B
	800mm	KDROCH836B
	900mm	KDROCH936B

	Size	Code
557mm Oven and Integrated Appliance Cabinet Frontal	47mm	KFAAH4
	72mm	KFAAH7
	120mm	KFAAHB
	296mm	KDWDPF6
	450mm	KDRAH
	560mm	KDRDL6
	720mm	KDRFH6
	930mm	KDRIF609
	1018mm	KDRIF610
	1108mm	KDRIF611
	1228mm	KDRIF612
296mm Bridging Cabinet Frontal	600mm	KDROCH63
276mm Bridging Cabinet Frontal	1000mm	KDROCH1028
358mm Bi-fold Cabinet Top Frontal and Bridging Cabinet Frontal	500mm	KDROCH536T
	600mm	KDROCH636T
	800mm	KDROCH836T
	900mm	KDROCH936T
720mm Glazed Wall Cabinet Frontal See page 19 for glazed frontal availability.	400mm	KDRGW3
	500mm	KDRGW2
896mm Glazed Wall Cabinet Frontal See page 19 for glazed frontal availability.	500mm	KDRGW6
1025mm Glazed Dresser Cabinet Frontal See page 19 for glazed frontal availability.	500mm	KDRWD2
720mm Metallic Framed Glazed Frontal	400mm	KDRGW3SL
	500mm	KDRGW2SL

Drawer Box (Revo)	
Code	Description
DWBOTM8P3SS*	800mm Deep Pan Drawer Bottom – Pack of three
METAL1BOX8DP*	800mm Three Sided Drawer Box
DWBOTM8P1*	800mm Drawer Box Bottom
METAL1BOX9SS*	900mm Pan Drawer Kit
DWBOTM9P1SS*	900mm Drawer Box Bottom
METAL3BOX1SS*	1000mm Pan Drawer Kit – Pack of three
DWBOTM10P3SS*	1000mm Drawer Box Bottom – Pack of three
RPDCONGA473	Pan Drawer Conversion Kit


*Order drawer kit and drawer bottom to make up full drawer boxes.

Drawer Box (Supra - 15mm Vista)	
Code	Description
SUPRA3BOX15	300mm Drawer Box
SUPRA4BOX15	400mm Drawer Box
SUPRA45BOX15	450mm Drawer Box
SUPRA5BOX15	500mm Drawer Box
SUPRA6BOX15	600mm Drawer Box

Drawer Box (Supra - 18mm Vista)	
Code	Description
SUPRA3BOX18	300mm Drawer Box
SUPRA4BOX18	400mm Drawer Box
SUPRA45BOX18	450mm Drawer Box
SUPRA5BOX18	500mm Drawer Box
SUPRA6BOX18	600mm Drawer Box


CABINET ELEVATIONS

2100mm Cabinet Elevations - Contemporary style example



NB: Base cabinet height to underside of worktop is 870mm. Actual base cabinet depth is 470mm or 570mm (500mm or 600mm with worktop). Actual wall cabinet depth is 285mm.

2276mm Cabinet Elevations - Classic style example



NB: Base cabinet height to underside of worktop is 870mm. Actual base cabinet depth is 570mm (600mm with worktop). Actual wall cabinet depth is 285mm.

15MM VISTA CABINET INSTALLATION


WALL UNITS

Screw through the top and bottom back rails/hardboard back. Fixing points in the bottom rail should be vertically in line with those in the top rail.

Fixing points should be located at each end of the unit as shown, no more than 100mm from the inside face of the unit.




Wall units with two doors may require a further fixing at the mid point of the top rail.

Any screws and other fixings used must be suitable to support units, when loaded, into the material to which they are to be fitted.



BASE UNITS




Brackets are secured to the side panel of the unit and screwed through to the wall. Legs can be adjusted as required.



18MM EXCEL CABINET INSTALLATION

WALL UNITS

Wall units are supplied with wall hanging brackets fitted to the unit. The brackets are adjustable for height and distance from the wall. When fitting the units, attach to the wall the hanging plates and make all adjustments. Remove the unit from the wall and drill through the back and vertical upright as indicated (A). Secure the unit with additional screws to a structural part of the wall. Any screws and other fixings used must be suitable to support units, when loaded, into the material to which they are to be fitted.






Determine the location of the unit(s) and mark a horizontal line 2176/2000mm from the floor. Mark the position of each unit. Fit the hanging bracket plates to the wall as illustrated.

Fit the hanging brackets to the top corners of the units from the back using four of the screws supplied per bracket. The hanging brackets should be screwed to the side panel first and then to the top panel as per the assembly instructions.

BASE UNITS

Brackets are secured to the side panel of the unit and screwed through to the wall. Legs can be adjusted as required.



GUIDANCE NOTES

For the installation of kitchen fitments (in compliance with BS6222 part 4, 1998)

DELIVERY AND STORAGE ON SITE

ALWAYS:

- Store units, worktops and other items under cover, in dry conditions, immediately.
- Store loose shelves separate from units.
- Protect unit fronts.
- Cover units during storage to prevent dirt and debris collecting on moving parts such as drawer runners and hinges.
- Avoid twisting and distortion.
- Store worktops upright or flat, face to face on bearers with the top surface protected against damage.

NEVER:

- Store units on their sides unless they have soft, grit-free material underneath.
- Stack base units more than three high.
- Stack wall units more than four high.
- Stack frontals against each other or against a wall.
- Store units, worktops and other items near direct heat.
- Remove tapes from doors or drawers until immediately before fitting.

Customers must check units as they are delivered and sign for them as being in good condition. If they are not, the driver's copy of the advice note must be marked accordingly and signed by the customer.

INSTALLATION METHODS

Consideration should be given to following trades when allowing access to electrical points, rodding eyes, stop taps, waste traps and any other items or areas where post completion access will be required.

To prevent any accidental damage to the doors and drawers always remove them from the units and store carefully away from the working area. Any sleeving protection should remain on until they are refitted to the units and adjustment has been carried out.

Having checked the plot for level and square, commence by marking a level line on the wall around the base unit area to indicate the finished unit height.

FITTING KITCHEN UNITS

Units should be packed up or scribed down as little as possible. We recommend a maximum of 6mm packing with firm material where required.

Scribing down should be 10mm maximum, but this depends on any appliances fitting under worktops. Please check manufacturers appliance sizes before scribing down in excess of 10mm.

If ceramic tiles are to be fitted to the floor after the kitchen has been installed, scribing down of the units will be unnecessary.

Should it be necessary to scribe the rear of the units, then this must be as little as possible especially if integrated appliances are to be fitted into tall units or under worktops.

Kitchen base units should be fixed to the wall using the metal cabinet fixing bracket supplied (18mm Excel). The appropriate fixing should be dependent upon the surface being fixed to. It is not necessary to fix through every bracket on a run of units, but fixings either side of an appliance space and on the ends of each run of units must be made.

Tall units (oven housings, larders, etc.) should be level and plumb on all faces and fixed to the wall at four points.

Wall units are to be fixed level and square using hanging brackets if appropriate, or directly to the wall through the back rail where the following number of fixings should be used:

30072mm to 600mm wide unit 4 fixings

800mm to 1000mm wide unit 5 to 6 fixings

1200mm wide unit 6 fixings

Fixings for standard walls should be 2½" No. 10 counter sunk screws or longer. Dryline walls (dot and dab) will require longer hollow wall fixings, depending on the thickness of the dab and the type of block work being screwed into. It is essential to use the correct fixings and to check screws match the correct plug size being used.

Units should be screwed together at three positions, preferably hidden from view (e.g. by hinge block, back rail on base units and behind shelf on wall units).

All visible screw heads should be capped with colour caps. Recessed caps (10mm) are available for white carcass interiors.

Extended voids (over 600mm wide between end panels) under worktops, especially corner units, and adjacent to worktop joints, should have supporting battens fixed to the wall beneath.

APPLIANCE SPACES

Care should be taken when leaving spaces for freestanding and integrated built-under appliances.

Built-under integrated spaces should be 603mm maximum. This will allow for easy installation and removal without causing problems with door alignment.

600mm integrated and cantilever cooker hoods require 600mm at the back and front of the void.

Freestanding appliances should have a minimum space 10mm greater than their width to allow easy installation/removal.

Adjacent units to appliance spaces must be plumb and parallel.

Hose positions for dishwasher and washing machines are critical especially on integrated appliances. Dishwasher hoses should be led through an aperture, cut at low level into the side panel at the rear of the adjacent sink unit, for connection to services within that unit. Washer hoses will have holes drilled at top level in the side panel at the rear of the sink unit if connecting to service in the unit.

When fitting any appliances the manufacturer's installation instructions must always be read prior to any installation and followed throughout.

When fitting 'wet' appliances ensure that hoses do not become kinked or trapped when the appliance is pushed home.

FILLERS

Filler panels are to be scribed to walls and sealed with matching decorator's filler and not silicone.

15mm or smaller fillers where seen, should be edged in exterior cabinet matching colour.

Tray spaces or any site constructed platforms should have the front edges to match the cabinet colour exterior.

PLINTH

Continuous plinth will be cut and edged at the unit run ends to finish flush with the cabinet end panel. Cabinet exterior matching edging tape should be applied to the raw coreboard with contact adhesive. Peel and stick edging or hot melt adhesive is not recommended.

Ventilation slots as found cut on standard transit plinths on kitchen units must be cut in the continuous plinth for oven, fridge or freezer housings. The slot is approximately 500mm long and 40mm deep and must be cut on the upper edge of the plinth.

Plinths should be fitted tight to the underside of the bottom panel of the base unit and not pushed to the floor. The plinth adds additional support to the bottom panel by keeping it up tight.

Plinths should never be glued or nailed to cabinets as this prevents easy removal.

GUIDANCE NOTES

For the installation of kitchen fitments (in compliance with BS6222 part 4, 1998)

CORNICE AND PELMET

Cornice and light pelmet mitres should be clean and accurately cut using a fine mitre saw.

Fixing cornice should be from above. If this is impossible, fixing from the inside of the cabinet is recommended. When fixing from the inside of the cabinet, 10mm recessed screw caps should be used and 1" x No. 6 CS screw. If longer screws are used and not recessed they should be covered by a matching cover cap.

Light pelmet can be fixed direct through the wall unit bottom or with half blocks/L brackets. A mixture of both methods of fixing is acceptable especially when fixing to display feature units.

All mitres should be glued using PVA wood glue or Cyanoacrylate adhesive. Under no circumstances must hot melt adhesive be used.

Only minor discrepancies in the cut should be filled with matching filler waxes, (not silicone).

Direct fixing should be positioned as close to the end panels as possible for both pelmet and cornice. The number of fixings per unit size are as follows:

300mm to 600mm wide unit	2 fixings
800mm to 1000mm wide unit	3 fixings

The third fixing for 800/1200 units to be by the centre post.

Cornice should be inset on all wall unit/tall unit returns so that the front lip of the flat (fixing) base of the cornice is inset by 15mm, but fitted with the front edge of the unit's top panel on the elevation.

Pelmet should be inset by 15mm on wall unit returns but flush with the front edge of the bottom shelf on the elevation. In this way the appearance of a uniform recess will be achieved when the unit door is closed.

WORKTOP FIXING

Worktops should be fixed to the base units and independent tops to wall battens, and levelled in both directions.

The tops are fixed through the brackets or half blocks on the base unit end panels, and up through the front rail.

The fixings in the front rail should be as close to the end panel as possible and by the centre post on a double base or corner unit.

Mason Mitre and butt joints should be flush fitted. And three jointing bolts need to be used on all kitchen worktops unless they are reduced in depth or width. A coat of silicone* should be used to seal the worktop ends prior to jointing.

If the back of the worktop has been scribed to the wall it should then be re sealed with silicone* before installation. Take special care if sealing behind a sink.

Hob and sink cut outs should also be sealed with silicone* and the chipboard should be cut and the dust then cleared away. Then silicone* should be applied to ensure all holes are filled.

*It is recommended that BS EN150 11600 Silicone to BS5889(B) be used in all cases.

AFTERCARE INSTRUCTIONS

- The tape from all doors and drawers should be removed by hand, without the use of a sharp implement.
- Any marks subsequently left should be cleaned off using warm water and a mild detergent.
- DO NOT attempt to clean units, worktops or sink tops with cleaning powder or any form of abrasive material or agent.
- Drawer runners and hinges should be cleaned to ensure that no plaster, grit or other material will impede their action.

CARE FOR YOUR SYMPHONY KITCHEN

We set standards of quality to which others can only aspire

At Symphony, our commitment to quality is total. From our choice of raw materials, right through to the design, manufacture and installation of our products. What's more, every stage of our operation is constantly monitored to ensure that standards are not only maintained but also continuously improved.

In fact, our whole philosophy is one of providing not only the very best products to customers but also complete peace of mind.

YOUR SYMPHONY KITCHEN CABINET

Symphony kitchens are manufactured from high density, fine surface particle board, which complies with the British Standard BS EN 312-P2. You can be assured that all cabinets are tested to and pass FIRA Gold product certification. Cabinets are supplied on adjustable legs to cater for uneven floors and to protect against moisture ingress. Vulnerable cabinet edges are lipped to resist moisture seepage in to the panels.

GENERAL CABINET CLEANING ADVICE

Sensible general cleaning practice includes avoiding use of an abrasive cleaner or strong chemicals (such as vinegar, nail varnish remover, solvents and bleach) on surfaces and always wiping off any water with a soft cloth rather than leaving it to stand. It should be noted that cabinets are not resistant to water and will swell if wet, so any spillage should be dried immediately. To clean your cabinets simply use a slightly damp non-abrasive cloth with a little liquid soap.

All Symphony frontals and doors have been made to withstand the normal wear and tear associated with kitchen life and are treated to resist normal household cleaning chemicals. However, any spills should be rinsed immediately and dried thoroughly. Avoid placing electric kettles and steamers directly below wall units and on worktop joints to minimise condensation. Naturally, you should also regularly check that all handle screws are secure and never rest heavy objects on partly opened doors or drawers.

ADJUSTABLE SHELVES

Unit shelves are adjustable to suit your needs. Whilst units have been FIRA Gold approved and tested to withstand strong weights, we recommend that you load the heaviest items on the base of the cabinet with lighter items on the shelves. It is recommended to evenly distribute items within a cabinet to avoid minor distortion of the unit. Adjustable metal hanging brackets secure wall units to the wall, though we recommend that heavy items are not placed in wall units for both accessibility and safety reasons.

In addition to the specific guidelines detailed in this brochure, you should naturally take extra care when working near to hot surfaces or using cleaning agents. For example, keep all chemicals, detergents, hot pans and sharp objects out of children's reach and never allow them to be unattended in the kitchen and to swing on doors or drawers.

A wide range of base and wall units and colour options are available in flat pack format for ease of storage and quick, easy assembly on site. Please ask your Symphony representative for information.



CARE FOR YOUR SYMPHONY KITCHEN

CHARACTERISTICS OF VARIOUS TIMBERS

As a natural material, wood reflects the endless variety of grains and textures found in nature and such variances must be expected. All timbers mellow when exposed to sunlight so a colour change is possible overtime. Whilst such definitive characteristics make them a perfect vehicle for furniture design, it is important that they are treated with care. The risk of contact with sharp or heavy objects, scratching, exposure to chemicals, etc. must be avoided before, during and after installation.



OAK (OAKHAM)

Oak is a finely grained, mature timber notable for its stability and straight graining. Because it can be used for a variety of styles and stained in a number of different colours, it is the traditional favourite of both craftsmen and, of course, homeowners.



ASH (AUSTIN)

Ash belongs to the olive tree family and due to its high flexibility it is used in a variety of furniture and flooring products. It is easy to work with and can be stained, waxed or polished very well.

CABINET/FRONTAL SURFACE CONSISTENCY

Timbers and veneers are natural materials and are subject to the variations in colours and grain differences that nature promotes. All timbers feature small graining marks and knots. These are part of the timber's natural properties and do not represent faults in the door or drawer. It is virtually impossible to guarantee a totally accurate match between timber veneered frontals and accessories. Notwithstanding the difficulties involved, Symphony endeavours wherever possible to produce the closest match that manufacturing and finishing technology allow.

Melamine and laminates are synthetic materials and so have a very stable finish, however they are still liable for changes in colour over time.

CARE OF YOUR KITCHEN FRONTS

Doors and drawers should be wiped clean with warm water and a damp cloth containing a mild detergent. For best results, do not over wet. Also, you should avoid the use of scouring pads or wire wool and not use abrasive cleaning agents.

SOLID TIMBERS AND VENEERS

High quality wood and veneer have been used in the manufacture of all door and drawer fronts. Although the lacquered finish gives a tough hard-wearing surface, spills should be wiped clean immediately and then a wipe over with a damp cloth will restore the finish. Once dry, a final polish with a soft cloth and a reputable household furniture polish will preserve and enhance the wood's natural beauty.

MINOR ADJUSTMENTS

Because your kitchen doors and drawers will be in constant use, they may require adjustment from time to time to ensure perfect working order. This can be done easily with a simple screwdriver, a brush and some lubricating oil.

DOOR HINGES AND DRAWER RUNNERS

It's a good idea to inspect the door hinges and drawer runners from time to time so that any dirt, fluff or general grime can be removed.

This can be done with a soft, dry brush or a duster, or even the nozzle of a vacuum cleaner. Although lubrication is usually not required a small amount of household spray polish may be used.



ADJUSTING THE DOOR

SIDE ADJUSTMENT
The side adjustment is made by rotating the appropriate screw on the hinge arm.

HEIGHT ADJUSTMENT
For height adjustment the two mounting plate fixing screws have to be temporarily released while making the manual adjustment.

DEPTH ADJUSTMENT
The depth adjustment is made by temporarily releasing the adjustment/fixing screw. After the adjustment is made the screw has to be re-tightened.

SOFT CLOSE ADJUSTMENT
Where fitted soft close clip on buffers can be adjusted by rotating the screw at the end of the buffer. Please note that soft close buffers are not supplied with every kitchen.

ADJUSTING THE DRAWER FRONTS

SUPRA CREAM DRAWER BOX

Adjust the drawer frontal height by rotating the lever clockwise/anti-clockwise.

REVO SILVER DRAWER BOX

To adjust the drawer front vertically clip off the cap, rotate the grooved wheel clockwise/anti-clockwise.

To adjust the drawer front horizontally, rotate the screw clockwise/anti-clockwise.

WORKTOPS AND SURFACES

GENERAL MAINTENANCE

All Symphony laminate worktop surfaces are designed for easy maintenance and long life. Everyday stains such as coffee spills and finger marks clean up easily with a quick wipe with a damp cloth. Although laminates are exceptionally resistant to scratches and normal wear and tear, always use a cutting board when using sharp knives.

CLEANING STAINS

Always start with the gentlest method. If stains persist, try the following steps:

- 1 Use a damp cloth and mild detergent.
- 2 For difficult stains, use a mild household cleaner with a soft bristled brush.
- 3 If stubborn stains remain, try a paste of baking soda or a non-scratch cleaner such as Jif or Flash, scrubbing lightly with a soft bristled brush.
- 4 Apply undiluted household bleach, let stand for no more than two minutes and then rinse thoroughly with warm water.

DO'S AND DON'TS

Never place hot pans or dishes directly onto the worktops. Instead, use a heat shield, hot pad or trivet to avoid blistering or cracking the laminate. Never use acidic or abrasive cleaners, or apply excessive scrubbing, especially on surfaces with a gloss finish.

EARTHSTONE WORK SURFACES

Through a simple cleaning regime the unique surface can be maintained to look good longer and has the added benefit of being repairable.

You will have received a care and maintenance kit with your Earthstone worksurface along with a leaflet to explain how you can keep your worktop in a good condition.

Once installed your worktop will have been given a final sand and polish. Over time the worksurface will eventually acquire a smoother, slightly higher sheen to it.

DAILY CLEANING

It is recommended to wipe down the surface with warm soapy water during the first week of installation. Then buff the surface dry and apply a thin, even coat of Countertop Magic (included in your Care and Maintenance kit) and wipe off immediately with clean microfibre cloth.

WEEKLY POLISH

It is recommended to polish your Earthstone worksurface once a week to maintain its deep, rich lustre. Use the Earthstone Care and Maintenance kit and refer to the leaflet for information on how to do this.

RECOMMENDATIONS

- Do protect your worksurface from heat damage by using heat resistant mats
- Do wipe spills away quickly
- Do follow the weekly cleaning regime
- Don't place hot objects directly onto the worksurface
- Don't cut directly onto the worksurface
- Don't use abrasive cleaners or solvents as cleaning fluids
- Don't drop heavy objects onto the worksurface

Please note: Darker colours will show excessive marking, scratching, wear and tear more noticeably than lighter colours.

ORDERING CHECKLIST - CHECK THE BOXES TO SPECIFY YOUR CHOICES AS YOU READ THROUGH THE BROCHURE

1 IDENTIFY YOUR CABINET TYPE Choose from either
☐ 15mm Vista (white interior) or ☐ 18mm Excel (interior matches the exterior colour)

2 IDENTIFY AND SPECIFY YOUR DRAWER Choose from either
☐ Supra drawer box (cream) or ☐ Softplus Supra drawer box (cream) or ☐ Revo drawer box (metallic)

3 IDENTIFY AND SPECIFY YOUR HINGE Choose from either
☐ 110° standard ☐ 110° Softplus ☐ 170° standard ☐ 170° Softplus

4 IDENTIFY AND SPECIFY YOUR CABINET COLOUR Choose from either
☐ White ☐ Ivory ☐ Oak ☐ Walnut

5 IDENTIFY AND SPECIFY YOUR DOOR AND DRAWER FRONTAL RANGE AND COLOUR

Example; Cranbrook Ivory

6 IDENTIFY AND CHOOSE YOUR HANDLE Provide HPK number and description

Example; HPK644 - Matt Nickel Square D Handle

7 SPECIFY YOUR UNIT SIZE see the table below
Example; for a base unit 500mm wide x 870mm high x 600mm deep
Example; for a wall unit 500mm wide x 724mm high x 300mm deep
Example; for a tall unit 500mm wide x 2100mm high x 600mm deep

8 SPECIFY YOUR UNIT CODE see the table below
Example; BU56F

9 IF DESIRED SPECIFY A REPLACEMENT END see the table below
Example; BU56**FG2**

10 SPECIFY YOUR UNIT HANDING WHERE REQUIRED see the table below
Example; for a single hinged unit specify left hand or right hand hinged
Example; for a corner base specify left hand or right hand blank
Example; for a double sink unit specify a left hand or right hand drainer

7 Width	7 Height	7 Depth	8 Code	9 Replacement Ends (If required)	10 Handing (If required)
e.g; 500mm	e.g; 870mm	e.g; 600mm	e.g; BU56F	e.g; G2	e.g; LH

11 REMEMBER TO ORDER PLINTHS AND ACCESSORIES

Item	Code	Dimentions
e.g; Plinth	e.g; CONPLINTHF	e.g; 2600 x 146

12 IDENTIFY AND SPECIFY WORKTOPS if required.

Code	Style/Colour	Thickness	Length	Depth
e.g; PV40	e.g; Riverside Grey	e.g; 40mm	e.g; 2000mm	e.g; 600mm



Gallery



LAURA ASHLEY
by Symphony





Choose from a stunning range of stylish bedroom furniture

To see our exciting range of luxury fitted bedroom furniture and sliding wardrobes simply visit your nearest Urbano studio. To locate your local retailer please visit our website or call our helpline using the details below.

There you can see for yourself the marvellous quality and stylish designs that are available. The professional design consultants at Urbano retailers will be happy to provide a free, no-obligation planning and design service.

Urbano brochure line and nearest retailer details
01226 446000 or visit
www.symphony-group.co.uk/urbano

urbano
by Symphony

Great ideas for bedrooms

Visit www.symphony-group.co.uk/dealer-locator to identify your local retailer



Enjoy all the benefits of a beautifully fitted bathroom

Why not complete the picture in your brand new home with beautifully fitted furniture in your bathroom too? Symphony's Aquadi range of luxury fitted bathrooms can be found in showrooms throughout the UK and is staffed by experts more than willing to help turn your dreams into a reality.

Whether you want a whole new suite or simply to enhance your existing bathroom with additional units or complementary features, they'll be more than happy to help you with the planning and design.

Aquadi brochure line and nearest retailer details
01226 446000 or visit
www.symphony-group.co.uk/aquadi

aquadi
by Symphony

Great ideas for bathrooms

Call 01226 446610 or
email additionalunits@symphony-group.co.uk



The Symphony Group Plc
Pen Hill Estate,
Park Spring Road, Barnsley
South Yorkshire, S72 7EZ
Tel: 01226 446610
Fax: 01226 711185

www.symphony-group.co.uk/additional-units

Symphony®

Creating the perfect living space

In keeping with our policy of continuous product development, we reserve the right to change colours, designs, materials, descriptions or methods of manufacture. Such changes may be made without notice and without incurring any liability. Nothing in this publication should be considered to be part of any contract. The illustrations included in this publication are to indicate general format and are not necessarily correctly scaled, proportioned or detailed.

Natural wood is used in some of our kitchens. As a natural material, wood reflects the endless variety of grains and textures found in nature and such variances can be expected in any selection of timber fronted units. Timbers mellow when exposed to sunlight, so a colour change can be expected.

PVC laminates and melamine finishes are also subject to slight colour change over a period of years. Unless specified otherwise, the expression 'solid timber' refers to door and drawer fronts only. A copy of our conditions of sale is available on request. Errors and omissions excepted.

Copyright and all other rights in this brochure and the photographs and other works upon which it is based, are owned by The Symphony Group PLC. No part of the brochure and said photographs and other works may be reproduced or transmitted in any form or by any means (including but not limited to photocopying or storing in any electronic medium) without the prior express written permission of The Symphony Group PLC.

© The Symphony Group Plc 2017

